Parcel:

34-48-18-10550-005 (43964)

#### **Owner & Property Info**

Result: 16 of 28

KOON LOGAN HUNTER KOON TAMMY JALANE

Owner

6099 SW 67TH ST

LAKE BUTLER, FL 32054

Site

BEG SE COR OF LOT 4 FOREST VIEW S/D, E 557.62 FT, N 331.97 FT, W 567.12 FT TO NE COR OF SAID LOT 4, S 332.57 FT TO POB (PRCL 4-A) & COMM SW COR OF SE1/4 OF SW1/4, E 713.33 FT, N 1121.60 FT FOR POB, CONT N 223.68 FT, E 641.17 FT, N 446.28 FT, E 1047.87 FT TO W MAINT R/W SE TULLIE BEACH TER, S ALONG R/W 296.31 FT TO CURVE, SE ALONG CURVE 149.12 FT, S 38 DEG E STILL ALONG R/W 240.91 FT, SE 35.02 FT, W 1876.75 FT TO POB (PRCL 4) EX COMM SW COR OF SE1/4 OF SW1/4, E 713.33 FT, N 1121.60 FT, CONT N 223.68 FT, E 641.17 FT, N Description\* 332 FT FOR POB, CONT N 114.28 FT, E 1047.87 FT TO W MAINT R/W OF SE TULLIE BEACH TER,

S 114.29 FT, W 1047.10 FT TO POB & COMM SW COR OF SE1/4 OF SW1/4, E 713.33 FT, N 574.12 FT FOR POB. CONT N 574.48 FT, E 1876.75 FT TO W MAINT R/W OF SE TULLIS BEACH TER, SE ALONG R/W 188.73 FT, S STILL ALONG R/W 363.36 FT, W 1922.35 FT TO POB (PRCL 5) & COMM SW COR OF SE1/4 OF SW1/4, E 713.33 FT FOR POB, CONT E 1937.43 FT TO W MAINT R/W OF SE TULLIE BEACH TER, N 570.76 FT, W 1922.35 FT, S 574.48 TO POB (PRCL 6). WD 1443-

1869 <<<less

71.29 AC Area

S/T/R 34-4S-18

Use Code\*\* NON AG ACREAGE (9900)

Tax District 3

#### MOBILE HOME INSTALLATION SUBCONTRACTOR VERIFICATION FORM

APPLICATION NUMBER	CONTRACTOR	Robert Sheppard	PHONE 386-623-2203
THE LEGITICAL PROPERTY OF THE	GG.T.T.		

#### THIS FORM MUST BE SUBMITTED PRIOR TO THE ISSUANCE OF A PERMIT

#### Tammy Koon

In Columbia County one permit will cover all trades doing work at the permitted site. It is <u>KEQUIKED</u> that we have records of the subcontractors who actually did the trade specific work under the permit. Per Florida Statute 440 and Ordinance 89-6, a contractor shall require all subcontractors to provide evidence of workers' compensation or exemption, general liability insurance and a valid Certificate of Competency license in Columbia County.

Any changes, the permitted contractor is responsible for the corrected form being submitted to this office prior to the start of that subcontractor beginning any work. Violations will result in stop work orders and/or fines.

ELECTRICAL	Print Name	Glenn Whittington EC 13002957	Signature Phone #:	386-972-1700	
		Qualifier Form Attached	X		
MECHANICAL/	Print Name	Ronald Bonds Sr.	Signature		
A/C	License #:	CAC 1817658	Phone #: _	800-259-3470	
		Qualifier Form Attached	X		

Qualifier Forms cannot be submitted for any Specialty License.

Specialty License	License Number	Sub-Contractors Printed Name	Sub-Contractors Signature
MASON			
CONCRETE FINISHER			

F. S. 440.103 Building permits; identification of minimum premium policy.--Every employer shall, as a condition to applying for and receiving a building permit, show proof and certify to the permit issuer that it has secured compensation for its employees under this chapter as provided in ss. 440.10 and 440.38, and shall be presented each time the employer applies for a building permit.

Revised 10/30/2015



## COLUMBIA COUNTY BUILDING DEPARTMENT

135 NE Hernando Ave, Suite B-21, Lake City, FL 32055 Phone: 386-758-1008 Fax: 386-758-2160

### LICENSED QUALIFIER AUTHORIZATION

LICENSED QUALIFIE	ER AUTHORIZATION
1. Chand Whitington	(license holder name), licensed qualifier
for Whittington ELRENK S	Twc(company name), do certify that
the below referenced person(s) listed on this form holder, or is/are employed by me directly or throu officer of the corporation; or, partner as defined in person(s) is/are under my direct supervision and sign permits; call for inspections and sign subcon-	m is/are contracted/hired by me, the license ugh an employee leasing arrangement; or, is an n Florida Statutes Chapter 468, and the said control and is/are authorized to purchase and
Printed Name of Person Authorized	Signature of Authorized Person
1. DAKBURD	1
2. Lecty Tona	2. Jones //
3.	3.
4.	4.
5.	5.
I, the license holder, realize that I am responsible under my license and fully responsible for compl Local Ordinances. I understand that the State an authority to discipline a license holder for violatio officers, or employees and that I have full responsand ordinances inherent in the privilege granted officer(s), you must notify this department in writing authorization form, which will supersede all previous unauthorized persons to use your name and/or licensed Qualifiers Signature (Notarized)	iance with all Florida Statutes, Codes, and ad County Licensing Boards have the power and ans committed by him/her, his/her agents, asibility for compliance with all statutes, codes by issuance of such permits.  is/are no longer agents, employee(s), or any of the changes and submit a new letter of lous lists. Failure to do so may allow
The above license holder, whose name is	me or has produced identification this day of, 20_6
HOLL POSHOP NOTARY'S SIGNATURE	Seal/Stangely R BISHOP  Notary Public - State of Florida  Commission # FF 243986  My Comm Expired the R4 2000



#### COLUMBIA COUNTY BUILDING DEPARTMENT 135 NE Hernando Ave, Suite B-21, Lake City, FL 32055

Phone: 386-758-1008 Fax: 386-758-2160

## LICENSED QUALIFIER AUTHORIZATION

1. CONALD R WORD JE	(license holder name), licensed qualifier
FOR STYLE CREST ENTERPRISES	Company name), do certify that
the below referenced person(s) listed on this for	m is/are contracted/hired by me, the license bugh an employee leasing arrangement; or, is an in Florida Statutes Chapter 468, and the said d control and is/are authorized to purchase and
Printed Name of Person Authorized	Signature of Authorized Person
1. DALE BURD	1.
2. Rocks Ford	2. (bel37) 7-1
3. Kally Bishap	3. Kelly Bishof
4.	4.
5.	5.
under my license and fully responsible for comp Local Ordinances. I understand that the State ar authority to discipline a license holder for violatic officers, or employees and that I have full respon and ordinances inherent in the privilege granted If at any time the person(s) you have authorized officer(s), you must notify this department in writt authorization form, which will supersede all prev- unauthorized persons to use your name and/or li-	and County Licensing Boards have the power and cons committed by him/her, his/her agents, insibility for compliance with all statutes, codes by issuance of such permits.  is/are no longer agents, employee(s), or inq of the changes and submit a new letter of ious lists. Failure to do so may allow
Licensed Qualifiers Signature (Notarized)	CAC 1817658   2-16-16   Date
NOTARY INFORMATION: STATE OF:COUNTY OF:	Bay
The above license holder, whose name is Roy personally appeared before me and is known by (type of I.D.) on I	me or has produced identification this 16th day of FEB 20 (6.
Stace V Gine loope'ns	(Seal/Stamp)
	Section of Florida



						racriage vall pers within 2' of end of home per Rule 15C					longitudinal (use dark lines to show these locations)		Typical pier spacing	I understand Lateral Arm Systems cannot be used on any home (new or used) where the sidewall ties exceed 5 ft 4 in.  Installer's initials	NOTE: If home is a single wide fill out one half of the blocking plan if home is a triple or quad wide sketch in remainder of home	пге	being installed Luku, FL, 32 OCI	Address of home 180 101112 Stack TRA	Installer Robert Sheppard License # IH 1025386	DERNIT NOMBER
Longitudinal Stabilizing Device (LSD)  Manufacturer  Longitudinal Stabilizing Device w/ Lateral Arms  Manufacturer  Manufacturer  Manufacturer  Manufacturer	TIEDOWN COMPONENTS OTHER TIES	within 2' of end of home spaced at 5' 4" oc	FRAME TIES	Opening Pier pad size 4 ft 5 ft5 ft	IORS	0	4	Pad Size   Pad Size   Sq in	AD SI	8' 8' 8' 8' From Rule 15C-1 pier spacing table.	7' 6" 8' 8' 8' 8' 8' 8'	1000 psf 3' 4' 5' 6' 7' 8' 8' 8' 8'	bearing size (256) 1/2" (342) (400) (484)* (576)* (676)	PIER SPACING TABLE FOR USED HOMES	Roof System: / Typical Hinged		Single wide Wind Zone II Wind Zone III	Home installed to the Manufacturer's Installation Manual  Home is installed in accordance with Rule 15-C	New Home Used Home	

15.1	Connect electrical conductors between multi-wide units, but not to the main power course. This includes the bonding wire between multi-wide units. Po		Date Tested 9-22-2022	Installer Name	Note: A state approved lateral arm system is being used and 4 ft. anchors are allowed at the sidewall locations. I understand 5 ft anchors are required at all centerline tie points where the torque test reading is 275 or less and where the mobile home manufacturer may requires anchors with 4000 lb holding capacity.  [2. S]  Installer's initials	TORQUE PROBE TEST  The results of the torque probe test is	0001 x 0001 x	<ol> <li>Using 500 lb. increments, take the lowest reading and round down to that increment.</li> </ol>	POCKET PENETROMETER TESTING METHOD  1. Test the perimeter of the home at 6 locations.  2. Take the reading at the depth of the footer.	×1000 ×1000 ×1000	The pocket penetrometer tests are rounded down topsf or check here to declare 1000 lb. soil without testing.	POCKET PENETROMETER TEST
Installer verifies all information given with this permit worksheet is accurate and true based on the manufacturer's installation instructions and or Rule 15C-1 & 2		Other:	t installed of at 4 foot in	Miscellaneous  Skirting to be installed. Yes No	Weatherproofing  The bottomboard will be repaired and/or taped. Yes Pg Pg Fireplace chimney installed so as not to allow intrusion of rain water. Yes	Type gasket FORM Installer's initials Results Pg. Between Floors Yes Between Walls Yes Bottom of ridgebeam Yes	a result of a poorly installed or no gasket being installed. I understand a strip of tape will not serve as a gasket.	Gasket (weatherproofing requirement)  I understand a properly installed gasket is a requirement of all new and used homes and that condensation, mold, meldew and buckled marriage walls are	Type Fastener: Length: His Length: His Length: Length: Length: Wide, game a min. 30 gauge, 8" wide, game will be centered over the peak of the roof and roofing nails at 2" on center on both sides of the sides of the roofing nails at 2" on center on both sides n	Fastening multi wide units ner: 1248 Length: 5 1/	Debris and organic material removed Other Other	Site Preparation

Connect all potable water supply piping to an existing water meter, water tap, or other independent water supply systems. Pg.

Installer Signature Core

Date 5/22/22

P.O. BOX 2007 HWY 100 EAST LAKE CITY, PL 32058 CHAMPION MANUFACTURED BEAUTIFULLY" 30 H I-BEAM 1-BEAM I-BEAM I-BEAM -10'-3/2"-4500# Column Blocking See Soll Bearing Capacity Charts for Pad Size 7-4"--9"-41/4"-71-4"--9'-4%" 4500# All Exterior Doors, Bay Windows, Recessed Sidewalls and Exterior Wall Openings 48" or Greater Will Require Blocking on Each Side. 74 261-PM0483A 7-4" ĝ PIER FOUNDATION PLAN 7-4" 2'-F-101


# STATE OF FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION

APPLICATION FOR CONSTRUCTION PERMIT

	Permit A	Application Number
Tammy Koon	PART II - SITEPLAN	
Scale: Each block represents 10 fe		210//
	20 1 38 1 54 50 CAS	39
Notes:	71.29 ACKES	
	DRR HTTACKED	
Site Plan submitted by:		Contractor
Plan Approved	Not Approved	Date

ALL CHANGES MUST BE APPROVED BY THE COUNTY HEALTH DEPARTMENT

County Health Department



1 of 1

