

APPLICANTGLEN WILLIAMS

PHONE623-1912

ADDRESS619SE COUNTRY CLUB RD

LAKE CITYFL32025

OWNERFRANK CAPALLIA

PHONE867-1089

ADDRESS1080SW OLD WIRE RD

LAKE CITYFL32024

CONTRACTORGLEN WILLIAMS

PHONE623-1912

LOCATION OF PROPERTY47-S, L, C-240, APPROX. 1.5 MILES ON RIGHT

NOTE) NEXT DRIVE ON R, AFTER RV PARK & BEFORE CONNER GLN

TYPE DEVELOPMENTMH, UTILITY

ESTIMATED COST OF CONSTRUCTION0.00

HEATED FLOOR AREATOTAL AREA

HEIGHTSTORIES

FOUNDATIONWALLS

ROOF PITCHFLOOR

LAND USE & ZONINGAG-3

MAX. HEIGHT35

Minimum Set Back Requirments:STREET-FRONT30.00

REAR25.00SIDE25.00

NO. EX.D.U.1

FLOOD ZONEX

DEVELOPMENT PERMIT NO.

PARCEL ID14-5S-16-03618-001

SUBDIVISION

LOTBLOCK

PHASEUNIT0

TOTAL ACRES32.84

IH0000972

Culvert Permit No.

Culvert Waiver

Contractor's License Number

Applicant/Owner/Contractor

EXISTING09-0553

BK

WRN

Driveway Connection

Septic Tank Number

LU & Zoning checked by

Approved for Issuance

New Resident

COMMENTS: FLOOR ONE FOOT ABOVE THE ROAD

MEETS DENSITY REQUIREMENTS WITH DESIGNATED 5 ACRES

2ND UNIT FOR SON

Check # or Cash1608

FOR BUILDING & ZONING DEPARTMENT ONLY

(footer/Slab)

Temporary Power

Foundation

Monolithic

date/app. by

date/app. by

date/app. by

Under slab rough-in plumbing

Slab

Sheathing/Nailing

date/app. by

date/app. by

date/app. by

Framing

Insulation

date/app. by

date/app. by

Rough-in plumbing above slab and below wood floor

Electrical rough-in

date/app. by

date/app. by

Heat & Air Duct

Peri. beam (Lintel)

Pool

date/app. by

date/app. by

date/app. by

Permanent power

C.O. Final

Culvert

date/app. by

date/app. by

date/app. by

Pump pole

Utility Pole

M/H tie downs, blocking, electricity and plumbing

date/app. by

date/app. by

date/app. by

Reconnection

RV

Re-roof

date/app. by

date/app. by

date/app. by

BUILDING PERMIT FEE \$0.00

CERTIFICATION FEE \$0.00

SURCHARGE FEE \$0.00

MISC. FEES \$250.00

ZONING CERT. FEE \$50.00

FIRE FEE \$64.20

WASTE FEE \$167.50

FLOOD DEVELOPMENT FEE \$

FLOOD ZONE FEE \$25.00

CULVERT FEE \$

TOTAL FEE556.70

INSPECTORS OFFICE

CLERKS OFFICE

NOTICE: IN ADDITION TO THE REQUIREMENTS OF THIS PERMIT, THERE MAY BE ADDITIONAL RESTRICTIONS APPLICABLE TO THIS PROPERTY THAT MAY BE FOUND IN THE PUBLIC RECORDS OF THIS COUNTY. AND THERE MAY BE ADDITIONAL PERMITS REQUIRED FROM OTHER GOVERNMENTAL ENTITIES SUCH AS WATER MANAGEMENT DISTRICTS, STATE AGENCIES, OR FEDERAL AGENCIES.

"WARNING TO OWNER: YOUR FAILURE TO RECORD A NOTICE OF COMMENCEMENT MAY RESULT IN YOUR PAYING TWICE FOR IMPROVEMENTS TO YOUR PROPERTY. IF YOU INTEND TO OBTAIN FINANCING, CONSULT WITH YOUR LENDER OR AN ATTORNEY BEFORE RECORDING YOUR NOTICE OF COMMENCEMENT."

EVERY PERMIT ISSUED SHALL BECOME INVALID UNLESS THE WORK AUTHORIZED BY SUCH PERMIT IS COMMENCED WITHIN 180 DAYS AFTER ITS ISSUANCE, OR IF THE WORK AUTHORIZED BY SUCH PERMIT IS SUSPENDED OR ABANDONED FOR A PERIOD OF 180 DAYS AFTER THE TIME THE WORK IS COMMENCED. A VALID PERMIT RECIEVES AN APPROVED INSPECTION EVERY 180 DAYS. WORK SHALL BE CONSIDERED NOT SUSPENDED, ABANDONED OR INVALID WHEN THE PERMIT HAS RECIEVED AN APPROVED INSPECTION WITHIN 180 DAYS OT THE PREVIOUS INSPECTION.

The Issuance of this Permit Does Not Waive Compliance by Permittee with Deed Restrictions.



# PERMIT APPLICATION / MANUFACTURED HOME INSTALLATION APPLICATION

#556.70

For Office Use Only

(Revised 1-10-08)

Zoning Official

BK 01.12.09

Building Official

11-30-09 (WR)

AP#

0911-46

Date Received

11/25/09

By

CH

Permit #

28246

Flood Zone

X

Development Permit

N/A

Zoning

A-3

Land Use Plan Map Category

A-3

Comments

Meets Density Requirements with Designated 5 acres

FEMA Map#

N/A

Elevation

N/A

Finished Floor

River

N/A

In Floodway

N/A

☒ Site Plan with Setbacks Shown

☒ EH #

09-0553

☐ EH Release

☐ Well letter

☐ Existing well

☒ Recorded Deed or Affidavit from land owner

☐ Letter of Auth. from installer

☒ State Road Access

☒ Parent Parcel #

☐ STUP-MH

☐ F W Comp. letter

IMPACT FEES: EMS

Fire

Corr

Road/Code

School

= TOTAL

N/A Suspended

Pre Insp.

Property ID #

14-58-16-03618-00

Subdivision

meets & Bounds

▪ New Mobile Home

Used Mobile Home

☒

MH Size

14X60

Year

83

▪ Applicant

Glen Williams

Phone #

386-623-1912

▪ Address

619 SE Country Club Rd Lake City FL 32025

▪ Name of Property Owner

Frank Capallia

Phone#

867-1089

▪ 911 Address

1080

SW Old Wire Rd Lake City FL 32024

▪ Circle the correct power company -

FL Power & Light

-

Clay Electric

(Circle One) -

Suwannee Valley Electric

-

Progress Energy

▪ Name of Owner of Mobile Home

Frank Capallia

Phone #

867-1089

# Call wh  
Completed  
To let  
them know  
when it is  
ready to be  
picked up.

Address

1082 SW. Old Wire Rd Lake City FL 32024

▪ Relationship to Property Owner

Son (MH for Son)

▪ Current Number of Dwellings on Property

1

▪ Lot Size

Total Acreage

33 Ac 32.84

▪ Do you : Have Existing Drive or Private Drive or need Culvert Permit or Culvert Waiver (Circle one)  
(Currently using) (Blue Road Sign) (Putting in a Culvert) (Not existing but do not need a Culvert)

▪ Is this Mobile Home Replacing an Existing Mobile Home

NO

(lowes)

▪ Driving Directions to the Property

475, (L) CR 240, (R) Old Wire Rd

(go 1 1/4 miles Lot on RT Wood Slat fence) just before SW Corner Glen on Right Corner Glen is on the left

▪ Name of Licensed Dealer/Installer

Glen Williams

Phone #

386-623-1912

▪ Installers Address

619 SE Country Club Rd Lake City FL 32025

▪ License Number

TH 0000 972

Installation Decal #

303633

Left numeric page for Glen & called Frank 12-1-09 CH



# PERMIT WORKSHEET

page 1 of 2

Installer Alan Williams License # TH0502972  
 Manufacturer Self Length x Width 14' x 6'  
 Name of Owner of this Mobile Home Frank Capellia  
 Phone 867-1089  
 Address 1052 3rd Ave Rd Lake City 32055  
**NOTE: if home is a single wide fill out one half of the blocking plan if home is a triple or quad wide sketch in remainder of home**

I understand Lateral Arm Systems cannot be used on any home (new or used) where the sidewall ties exceed 5 ft 4 in.

Installer's initials FW

New Home ☐ Used Home ☒ Year 83  
 Home installed to the Manufacturer's Installation Manual ☐  
 Home is installed in accordance with Rule 15-C ☒  
 Single wide ☒ Wind Zone II ☒ Wind Zone III ☐  
 Double wide ☐ Installation Decal # 303633  
 Triple/Quad ☐ Serial # 1261-0263-7

PIER SPACING TABLE FOR USED HOMES

Load bearing capacity (sq in)	16" x 16" (256)	18 1/2" x 18 (342)	20" x 20" (400)	22" x 22" (484)*	24" x 24" (576)*	26" x 26" (676)
1000 dsf	3'	4'	5'	6'	7'	8'
1500 dsf	4' 6"	6'	7'	8'	8'	8'
2000 dsf	6'	8'	8'	8'	8'	8'
2500 dsf	7' 6"	8'	8'	8'	8'	8'
3000 dsf	8'	8'	8'	8'	8'	8'
3500 dsf	8'	8'	8'	8'	8'	8'

\* interpolated from Rule 15C-1 pier spacing table.

PIER PAD SIZES

I-beam pier pad size 8' 1/2" x 18' 1/2"  
 Perimeter pier pad size 16' x 16'

Other pier pad sizes (required by the mfg.)

Draw the approximate locations of marriage wall openings 4 foot or greater. Use this symbol to show the piers.

List all marriage wall openings greater than 4 foot and their pier pad sizes below.

POPULAR PAD SIZES

Pad Size	Sq In
16 x 16	256
16 x 18	288
18.5 x 18.5	342
16 x 22.5	360
17 x 22	374
13 1/4 x 26 1/4	348
20 x 20	400
17 3/16 x 25 3/16	441
17 1/2 x 25 1/2	446
24 x 24	576
26 x 26	676

ANCHORS


4 ft 5 ft

FRAME TIES

within 2' of end of home spaced at 5' 4" oc

OTHER TIES

Longitudinal Stabilizing Device (LSD)  
 Manufacturer Silver Number \_\_\_\_\_  
 Longitudinal Stabilizing Device w/ Lateral Arms  
 Manufacturer \_\_\_\_\_  
 Sidewall Longitudinal Marriage wall Shearwall \_\_\_\_\_



POCKET PENETROMETER TEST

The pocket penetrometer tests are rounded down to 395 psf or check here to declare 1000 lb. soil without testing.

1200 1200 1200

POCKET PENETROMETER TESTING METHOD

1. Test the perimeter of the home at 6 locations.
2. Take the reading at the depth of the footer.
3. Using 500 lb. increments, take the lowest reading and round down to that increment.

1200 1200 1200

TORQUE PROBE TEST

The results of the torque probe test is \_\_\_\_\_ inch pounds or check here if you are declaring 5' anchors without testing. A test showing 275 inch pounds or less will require 4 foot anchors.

Note: A state approved lateral arm system is being used and 4 ft. anchors are allowed at the sidewall locations. I understand 5 ft anchors are required at all centerline tie points where the torque test reading is 275 or less and where the mobile home manufacturer may requires anchors with 4000 lb holding capacity.

500 Installer's initials

ALL TESTS MUST BE PERFORMED BY A LICENSED INSTALLER

Installer Name

[Signature]

Date Tested

11-10-09

Electrical

Connect electrical conductors between multi-wide units, but not to the main power source. This includes the bonding wire between multi-wide units. Pg. \_\_\_\_\_

Plumbing

Connect all sewer drains to an existing sewer tap or septic tank. Pg. \_\_\_\_\_

Connect all potable water supply piping to an existing water meter, water tap, or other independent water supply systems. Pg. \_\_\_\_\_

Site Preparation

Debris and organic material removed \_\_\_\_\_  
Water drainage: Natural \_\_\_\_\_ Swale \_\_\_\_\_ Pad [X] Other \_\_\_\_\_

Fastening multi wide units

Floor: Type Fastener: \_\_\_\_\_ Length: \_\_\_\_\_ Spacing: \_\_\_\_\_  
Walls: Type Fastener: \_\_\_\_\_ Length: \_\_\_\_\_ Spacing: \_\_\_\_\_  
Roof: Type Fastener: \_\_\_\_\_ Length: \_\_\_\_\_ Spacing: \_\_\_\_\_  
For used homes a min. 30 gauge, 8" wide, galvanized metal strip will be centered over the peak of the roof and fastened with galv. roofing nails at 2" on center on both sides of the centerline.

Gasket (weatherproofing requirement)

I understand a properly installed gasket is a requirement of all new and used homes and that condensation, mold, mildew and buckled marriage walls are a result of a poorly installed or no gasket being installed. I understand a strip of tape will not serve as a gasket.

Installer's initials \_\_\_\_\_

Type gasket \_\_\_\_\_ Installed: \_\_\_\_\_  
Pg. \_\_\_\_\_ Between Floors Yes \_\_\_\_\_  
Between Walls Yes \_\_\_\_\_  
Bottom of ridgebeam Yes \_\_\_\_\_

Weatherproofing

The bottomboard will be repaired and/or taped. Yes \_\_\_\_\_ Pg. \_\_\_\_\_  
Siding on units is installed to manufacturer's specifications. Yes \_\_\_\_\_  
Fireplace chimney installed so as not to allow intrusion of rain water. Yes \_\_\_\_\_

Miscellaneous

Skirting to be installed. Yes \_\_\_\_\_ No \_\_\_\_\_  
Dryer vent installed outside of skirting. Yes \_\_\_\_\_ N/A \_\_\_\_\_  
Range downflow vent installed outside of skirting. Yes \_\_\_\_\_ N/A \_\_\_\_\_  
Drain lines supported at 4 foot intervals. Yes \_\_\_\_\_  
Electrical crossovers protected. Yes \_\_\_\_\_  
Other: \_\_\_\_\_

Installer verifies all information given with this permit worksheet is accurate and true based on the

Installer Signature

[Signature]

Date 11-10-09



1. The first step is to identify the problem or question that needs to be answered.

# Columbia County Property Appraiser

DB Last Updated: 11/13/2009

**2009 Tax Year**

Tax Record

Property Card

Interactive GIS Map


Print

Parcel: 14-5S-16-03618-001 HX

**Owner & Property Info**

Search Result: 1 of 1

<b>Owner's Name</b>	CAPALLIA FRANK J		
<b>Site Address</b>	OLD WIRE		
<b>Mailing Address</b>	1082 SW OLD WIRE RD LAKE CITY, FL 32024		
<b>Use Desc. (code)</b>	IMPROVED A (005000)		
<b>Neighborhood</b>	014516.00	<b>Tax District</b>	3
<b>UD Codes</b>	MKTA02	<b>Market Area</b>	02
<b>Total Land Area</b>	32.840 ACRES		
<b>Description</b>	BEG NW COR OF NE1/4 OF SE1/4, RUN N 1334.78 FT, E 1299.69 FT TO W R/W SW WALTER AVE, S ALONG R/W 645.72 FT, W 678.34 FT, S 84.54 FT, E 39.82 FT, S 818.38 FT, W 659.10 FT, N 214.90 FT TO POB. ORB 322-345, 427-153, 828-2302 941-2065, DIV 1068-2162.		

**GIS Aerial****Property & Assessment Values**

<b>Mkt Land Value</b>	cnt: (1)	\$10,550.00
<b>Ag Land Value</b>	cnt: (1)	\$6,368.00
<b>Building Value</b>	cnt: (2)	\$167,403.00
<b>XFOB Value</b>	cnt: (0)	\$0.00
<b>Total Appraised Value</b>		\$184,321.00

<b>Just Value</b>	\$286,845.00
<b>Class Value</b>	\$184,321.00
<b>Assessed Value</b>	\$184,321.00
<b>Exemptions</b>	(code: HX) \$50,000.00
<b>Total Taxable Value</b>	County: \$134,321.00   City: \$134,321.00   Other: \$134,321.00   School: \$159,321.00

**Sales History**

Sale Date	Book/Page	Inst. Type	Sale VImp	Sale Qual	Sale RCode	Sale Price
12/11/2001	941/2065	WD	V	Q		\$85,000.00
9/27/1996	828/2302	WD	V	Q		\$112,000.00

**Building Characteristics**

Bldg Item	Bldg Desc	Year Blt	Ext. Walls	Heated S.F.	Actual S.F.	Bldg Value
2	PREF M B S (008701)	1997	Mod Metal (25)	1800	2400	\$20,685.00
3	SINGLE FAM (000100)	2006	Mod Metal (32)	2238	2622	\$146,718.00
<b>Note:</b> All S.F. calculations are based on exterior building dimensions.						


**Extra Features & Out Buildings**

Code	Desc	Year Blt	Value	Units	Dims	Condition (% Good)
NONE						

**Land Breakdown**

Lnd Code	Desc	Units	Adjustments	Eff Rate	Lnd Value
----------	------	-------	-------------	----------	-----------



*Site Plan***Columbia County Property Appraiser**

J. Doyle Crews, CFA - Lake City, Florida - 386-758-1083

**PARCEL: 14-5S-16-03618-001 HX - IMPROVED A (005000)**


Name: CAPALLIA FRANK J	LandVal	\$10,550.00
Site: OLD WIRE	BldgVal	\$167,403.00
Mail: 1082 SW OLD WIRE RD	ApprVal	\$184,321.00
LAKE CITY, FL 32024	JustVal	\$286,845.00
Sales	Assd	\$184,321.00
Info	Exmpt	\$50,000.00
	County: \$134,321.00   City:	\$134,321.00
	Other: \$134,321.00   School:	\$159,321.00
	Taxable	

0 150 300 450 ft



This information, GIS Map Updated: 11/13/2009, was derived from data which was compiled by the Columbia County Property Appraiser Office solely for the governmental purpose of property assessment. This information should not be relied upon by anyone as a determination of the ownership of property or market value. No warranties, expressed or implied, are provided for the accuracy of the data herein, its use, or its interpretation. Although it is periodically updated, this information may not reflect the data currently on file in the Property Appraiser's office. The assessed values are NOT certified values and therefore are subject to change before being finalized for ad valorem assessment purposes.





### Columbia County Property Appraiser

J. Doyle Crews - Lake City, Florida 32055 | 386-758-1083

#### PARCEL: 14-5S-16-03618-001 - IMPROVED A (005000)

BEG NW COR OF NE1/4 OF SE1/4, RUN N 1334.78 FT, E 1299.69 FT TO W R/W SW WALTER AVE, S ALONG RW 645.72 FT, W 678.34 FT, S 84.54 FT, E 39.82 FT, S 818

Name: CAPALLIA FRANK J  
 Site: 1082 SW OLD WIRE RD  
 Mail: 1082 SW OLD WIRE RD  
 LAKE CITY, FL 32024

Sales 12/11/2001

Info 9/27/1996

\$85,000.00 V / Q

\$112,000.00 V / Q

#### 2010 Certified Values

Land	\$11,495.00
Bldg	\$163,090.00
Assd	\$180,953.00
Exmpt	\$50,000.00
Cnty	\$130,953
Taxbl	Other: \$130,953   Schl: \$155,953

#### NOTES:



This information, GIS Map Updated: 6/22/2011, was derived from data which was compiled by the Columbia County Property Appraiser Office solely for the governmental purpose of property assessment. This information should not be relied upon by anyone as a determination of the ownership of property or market value. No warranties, expressed or implied, are provided for the accuracy of the data herein, it's use, or it's interpretation. Although it is periodically updated, this information may not reflect the data currently on file in the Property Appraiser's office. The assessed values are NOT certified values and therefore are subject to change before being finalized for ad valorem assessment purposes.

powered by:  
**GrizzlyLogic.com**





## Columbia County Property Appraiser

J. Doyle Crews, CFA - Lake City, Florida - 386-758-1083

**PARCEL: 14-5S-16-03618-001 HX** - IMPROVED A (005000)

Name: CAPALLIA FRANK J	LandVal	\$10,550.00
Site: OLD WIRE	BldgVal	\$167,403.00
Mail: 1082 SW OLD WIRE RD	ApprVal	\$184,321.00
LAKE CITY, FL 32024	JustVal	\$286,845.00
Sales	Assd	\$184,321.00
Info	Exmpt	\$50,000.00
	County:	\$134,321.00   City:
		\$134,321.00
	Other:	\$134,321.00   School:
		\$159,321.00
	Taxable	

0 0.06 0.12 0.18 mi



This information, GIS Map Updated: 11/13/2009, was derived from data which was compiled by the Columbia County Property Appraiser Office solely for the governmental purpose of property assessment. This information should not be relied upon by anyone as a determination of the ownership of property or market value. No warranties, expressed or implied, are provided for the accuracy of the data herein, its use, or its interpretation. Although it is periodically updated, this information may not reflect the data currently on file in the Property Appraiser's office. The assessed values are NOT certified values and therefore are subject to change before being finalized for ad valorem assessment purposes.



STATE OF FLORIDA  
DEPARTMENT OF HEALTH AND REHABILITATIVE SERVICES  
ON-SITE SEWAGE DISPOSAL SYSTEM  
APPLICATION FOR CONSTRUCTION PERMIT  
Authority: Chapter 381, FS & Chapter 10D-6, FAC

PERMIT #  
DATE PAID  
FEE PAID \$  
RECEIPT #  
CR #

04-0553  
941428  
11/4/89  
310.00  
1114789  
09-4714

APPLICATION FOR:

☒ New System    ☐ Existing System    ☐ Holding Tank    ☐ Temporary/Experimental System  
☐ Repair    ☐ Abandonment    ☐ Other (Specify) \_\_\_\_\_

APPLICANT: FRANK CAPALLIA

TELEPHONE: 867-1089

AGENT: PAUL LLOYD

MAILING ADDRESS: 1082 SW OLD WIRE RD. CITY: LAKE CITY STATE: FL ZIP: 32014

=====

TO BE COMPLETED BY APPLICANT OR APPLICANT'S AUTHORIZED AGENT. ATTACH BUILDING PLAN AND TO-SCALE SITE PLAN SHOWING PERTINENT FEATURES REQUIRED BY CHAPTER 10D-6, FLORIDA ADMINISTRATIVE CODE.

=====

PROPERTY INFORMATION [IF LOT IS NOT IN A RECORDED SUBDIVISION, ATTACH LEGAL DESCRIPTION OR DEED]

LOT: \_\_\_\_\_ BLOCK: \_\_\_\_\_ SUBDIVISION: MEETS & BOUNDS DATESUBD: \_\_\_\_\_

PROPERTY ID #: 14-5S-16-03618-001 [Section/Township/Range/Parcel] ZONING: AG

PROPERTY SIZE: 32.8 ACRES [Sqft/43560] PROPERTY WATER SUPPLY: ☒ PRIVATE ☐ PUBLIC

PROPERTY STREET ADDRESS: 1082 SW OLD WIRE RD.

DIRECTIONS TO PROPERTY: SR 47 SOUTH TURN LEFT ON CR 240, TURN RIGHT ON OLD WIRE RD. APP. 3/4 MILES ON RIGHT, TO BACK OF PROPERTY.

BUILDING INFORMATION

☒ RESIDENTIAL

☐ COMMERCIAL

Unit No	Type of Establishment	No. of Bedrooms	Building Area Sqft	# Persons Served	Business Activity For Commercial Only
1	<u>MOBILE HOME</u>	<u>2</u>	<u>1013</u>	<u>2</u>	
2					
3					
4					

[N] Garbage Grinders/Disposals  
[N] Ultra-low Volume Flush Toilets

[N] Spas/Hot Tubs  
[N] Other (Specify) \_\_\_\_\_

[N] Floor/Equipment Drains

APPLICANT'S SIGNATURE: Frank Capallia


DATE: 11/4/89



Application for Onsite Sewage Disposal System  
Construction Permit. Part II Site Plan

Permit Application Number: 09-0553

ALL CHANGES MUST BE APPROVED BY THE COUNTY HEALTH UNIT



Site Plan Submitted By Paul R. Lloyd Date 10/05/09  
Plan Approved ✓ Not Approved \_\_\_\_\_ Date \_\_\_\_\_

By Salhi Ford EPH Director - Columbia CPHU

Notes: 11/4/09



NO APP.

CODE ENFORCEMENT  
PRELIMINARY MOBILE HOME INSPECTION REPORT

DATE RECEIVED 11/19/09 BY LG IS THE A H ON THE PROPERTY WHERE THE PERMIT WILL BE ISSUED? Yes

OWNERS NAME Frank Capallia PHONE \_\_\_\_\_ CELL 867-1089

ADDRESS 1082 SW Old Wine Rd.

MOBILE HOME PARK \_\_\_\_\_

SUBDIVISION \_\_\_\_\_

DRIVING DIRECTIONS TO MOBILE HOME 475, TL 240, TR Old Wine,  
1 mile on right, to hind house.

MOBILE HOME INSTALLER Stan Williams PHONE 623-1912 CELL \_\_\_\_\_

MOBILE HOME INFORMATION

MAKE Sepr YEAR 1993 SIZE 14 x 60 COLOR Brown/White

SERIAL No. 1261-0263-T

WIND ZONE II Must be wind zone II or higher NO WIND ZONE I ALLOWED

INSPECTION STANDARDS

INTERIOR:

(P or F) - P= PASS F= FAILED

☒ SMOKE DETECTOR ( ) OPERATIONAL ( ) MISSING

☒ FLOORS ( ) SOLID ( ) WEAK ( ) HOLES DAMAGED LOCATION \_\_\_\_\_

☒ DOORS ( ) OPERABLE ( ) DAMAGED

☒ WALLS ( ) SOLID ( ) STRUCTURALLY UNSOUND

☒ WINDOWS ( ) OPERABLE ( ) INOPERABLE

☒ PLUMBING FIXTURES ( ) OPERABLE ( ) INOPERABLE ( ) MISSING

☒ CEILING ( ) SOLID ( ) HOLES ( ) LEAKS APARENT

☒ ELECTRICAL (FIXTURES/OUTLETS) ( ) OPERABLE ( ) EXPOSED WIRING ( ) OUTLET COVERS MISSING ( ) LIGHT FIXTURES MISSING

EXTERIOR:

☒ WALLS / SIDING ( ) LOOSE SIDING ( ) STRUCTURALLY UNSOUND ( ) NOT WEATHERTIGHT ( ) NEEDS CLEANING

☒ WINDOWS ( ) CRACKED/ BROKEN GLASS ( ) SCREENS MISSING ( ) WEATHERTIGHT

☒ ROOF ( ) APPEARS SOLID ( ) DAMAGED

STATUS

APPROVED ☒ WITH CONDITIONS: \_\_\_\_\_

NOT APPROVED ☐ NEED RE-INSPECTION FOR FOLLOWING CONDITIONS: \_\_\_\_\_

SIGNATURE Steve S. Rupp

ID NUMBER 402

DATE 11-19-09

0911-46

## COLUMBIA COUNTY 9-1-1 ADDRESSING

P. O. Box 1787, Lake City, FL 32056-1787

PHONE: (386) 758-1125 \* FAX: (386) 758-1365 \* Email: [ron\\_croft@columbiacountyfla.com](mailto:ron_croft@columbiacountyfla.com)

### Addressing Maintenance

To maintain the Countywide Addressing Policy you must make application for a 9-1-1 Address at the time you apply for a building permit. The established standards for assigning and posting numbers to all principal buildings, dwellings, businesses and industries are contained in Columbia County Ordinance 2001-9. The addressing system is to enable Emergency Service Agencies to locate you in an emergency, and to assist the United States Postal Service and the public in the timely and efficient provision of services to residents and businesses of Columbia County.

DATE REQUESTED: 11/30/2009 DATE ISSUED: 11/30/2009

#### ENHANCED 9-1-1 ADDRESS:

1080 SW OLD WIRE RD  
LAKE CITY FL 32024

#### PROPERTY APPRAISER PARCEL NUMBER:

14-5S-16-03618-001

#### Remarks:

2ND LOC

Address Issued By:

  
Columbia County 9-1-1 Addressing / GIS Department

**NOTICE: THIS ADDRESS WAS ISSUED BASED ON LOCATION INFORMATION RECEIVED FROM THE REQUESTER. SHOULD, AT A LATER DATE, THE LOCATION INFORMATION BE FOUND TO BE IN ERROR, THIS ADDRESS IS SUBJECT TO CHANGE.**

1584