













20 feb 2023 9:19:55 a. m.
678-890 Southwest Sparrow Terrace
Lake City
Columbia County
Florida



20 feb 2023 6:54:57 a. m.
678-890 Southwest Sparrow Terrace
Lake City
Columbia County
Florida



20 feb 2023 6:55:55 a. m.
678 Southwest Sparrow Terrace
Lake City
Columbia County
Florida



20 feb 2023 6:54:41 a. m.
678-890 Southwest Sparrow Terrace
Lake City
Columbia County
Florida



20 feb 2023 6:55:20 a.m.
678 Southwest Sparrow Terrace
Lake City
Columbia County
Florida



20 feb 2023 9:20:11 a. m.
678 Southwest Sparrow Terrace
Lake City
Columbia County
Florida



20 feb 2023 8:11:49 a. m.
678 Southwest Sparrow Terrace
Lake City
Columbia County
Florida





20 feb 2023 6:54:49 a. m.

678-890 Southwest Sparrow Terrace

Lake City

Columbia County

Florida

20 feb 2023 6:55:36 a. m.
678 Southwest Sparrow Terrace
Lake City
Columbia County
Florida



20 feb 2023 6:55:08 a. m.
678-890 Southwest Sparrow Terrace
Lake City
Columbia County
Florida







ABC
Supply Co. Inc.

MEETS ASTM D4869 & D226
CAN/CSA A133.1 | CCRR - 0308



Slip resistance may vary with surface conditions, weather, footwear and foot pitch
La resistencia al deslizamiento puede variar de acuerdo a las condiciones de la superficie, tipo de calzado o clima y la pendiente del techo
LINEA DE SUPERPOSICIÓN

OVERLAP LINE

ABC
Supply Co. Inc.

20
PAYMENT









PRO GUARD 20
SYNTHETIC ROOFING UNDERLAYMENT

PRO GUARD 20
SYNTHETIC ROOFING UNDERLAYMENT

PRO GUARD 20
SYNTHETIC ROOFING UNDERLAYMENT

PRO GUARD 20
SYNTHETIC ROOFING UNDERLAYMENT

PRO GUARD 20
SYNTHETIC ROOFING UNDERLAYMENT

PRO GUARD 20
SYNTHETIC ROOFING UNDERLAYMENT

OVERLAP LINE
LINEA DE SUPERPOSICIÓN

OVERLAP LINE
LINEA DE SUPERPOSICIÓN

OVERLAP LINE
LINEA DE SUPERPOSICIÓN

OVERLAP LINE
LINEA DE SUPERPOSICIÓN

INTERTEK
METTS ASTM D4869 & D
CAN/CSA A123.3 | CCRP

INTERTEK
METTS ASTM D4869 & D
CAN/CSA A123.3 | CCRP

INTERTEK
METTS ASTM D4869 & D
CAN/CSA A123.3 | CCRP







PRO GUARD 20

SYNTHETIC ROOFING UNDERLAYMENT



Slip resistance may vary with surface conditions. The degree of resistance may vary with surface conditions. **OVERLAP LINE**

PRO GUARD 20

SYNTHETIC ROOFING UNDERLAYMENT



La resistencia al deslizamiento puede variar de acuerdo a las condiciones de la superficie. El grado de resistencia puede variar de acuerdo a las condiciones de la superficie. **OVERLAP LINE**



La resistencia al deslizamiento puede variar de acuerdo a las condiciones de la superficie. El grado de resistencia puede variar de acuerdo a las condiciones de la superficie. **OVERLAP LINE**



Slip resistance may vary with surface conditions. The degree of resistance may vary with surface conditions. **OVERLAP LINE**


PRO GUARD 20

SYNTHETIC ROOFING UNDERLAYMENT



PRO GUARD 20

SYNTHETIC ROOFING UNDERLAYMENT



Slip resistance may vary with surface conditions. The degree of resistance may vary with surface conditions. **OVERLAP LINE**

MEETS ASTM D4869 & D226
CAN/CSA A123.3 | CCRR - 0308



⚠️ La resistencia al desliz puede variar de acuerdo a las condiciones de la superficie, tipo de calzado o clima y la pendiente del techo.
La dérive de résistance au glissement peut varier dépendant de la température, chaussures utiliser et le toit pente.



MEETS ASTM D4869 & D226
CAN/CSA A123.3 | CCRR - 0308

OVERLAP LINE LÍNEA DE SUPERPOSICIÓN

20
ERLAYMENT



⚠️ La resistencia al desliz puede variar de acuerdo a las condiciones de la superficie, tipo de calzado o clima y la pendiente del techo.
La dérive de résistance au glissement peut varier dépendant de la température, chaussures utiliser et le toit pente.

OVERLAP LINE

LÍNEA DE SUPERPOSICIÓN



MEETS ASTM D4869 & D226
CAN/CSA A123.3 | CCRR - 0308



⚠️ La resistencia al desliz puede variar de acuerdo a las condiciones de la superficie, tipo de calzado o clima y la pendiente del techo.
La dérive de résistance au glissement peut varier dépendant de la température, chaussures utiliser et le toit pente.

OVERLAP LINE

LÍNEA DE SUPERPOSICIÓN



MEETS ASTM D4869 & D226
CAN/CSA A123.3 | CCRR - 0308

PRO GUARD 20
SYNTHETIC ROOFING UNDERLAYMENT



La resistencia al deslize puede variar de acuerdo a las condiciones de la superficie, tipo de calzado o clima y la pendiente del techo.
La fuerza de resistencia al deslizamiento puede variar de acuerdo a la temperatura, el tipo de calzado y la pendiente del techo.



MEETS ASTM D4869 & D226
CAN/CSA A123.3 | CCRR - 0308




PRO GUARD 20
SYNTHETIC ROOFING UNDERLAYMENT




PRO GUARD 20
SYNTHETIC ROOFING UNDERLAYMENT



La resistencia al deslize puede variar de acuerdo a las condiciones de la superficie, tipo de calzado o clima y la pendiente del techo.
La fuerza de resistencia al deslizamiento puede variar de acuerdo a la temperatura, el tipo de calzado y la pendiente del techo.





ABC
Supply Co. Inc.

OVERLAP LINE
LINEA DE SUPERPOSICIÓN
Slip resistance may vary with surface conditions, weather, footwear and roof pitch.
La resistencia al deslizamiento puede variar de acuerdo a las condiciones de la superficie, tipo de calzado o clima y la pendiente del techo.
MEETS ASTM D4869 & D226
CAN/CSA A123.3 | CCR - 0308

ABC
Supply Co. Inc.

OVERLAP LINE
LINEA DE SUPERPOSICIÓN
Slip resistance may vary with surface conditions, weather, footwear and roof pitch.
La resistencia al deslizamiento puede variar de acuerdo a las condiciones de la superficie, tipo de calzado o clima y la pendiente del techo.
MEETS ASTM D4869 & D226
CAN/CSA A123.3 | CCR - 0308

PRO GUARD 20
SYNTHETIC ROOFING UNDERLAYMENT

ABC
Supply Co. Inc.

OVERLAP LINE
LINEA DE SUPERPOSICIÓN
Slip resistance may vary with surface conditions, weather, footwear and roof pitch.
La resistencia al deslizamiento puede variar de acuerdo a las condiciones de la superficie, tipo de calzado o clima y la pendiente del techo.
MEETS ASTM D4869 & D226
CAN/CSA A123.3 | CCR - 0308

PRO GUARD 20
SYNTHETIC ROOFING UNDERLAYMENT

OVERLAP LINE
LINEA DE SUPERPOSICIÓN
Slip resistance may vary with surface conditions, weather, footwear and roof pitch.
La resistencia al deslizamiento puede variar de acuerdo a las condiciones de la superficie, tipo de calzado o clima y la pendiente del techo.
MEETS ASTM D4869 & D226
CAN/CSA A123.3 | CCR - 0308

ABC

ABC
Supply Co. Inc.

OVERLAP LINE
LINEA DE SUPERPOSICIÓN
Slip resistance may vary with surface conditions, weather, footwear and roof pitch.
La resistencia al deslizamiento puede variar de acuerdo a las condiciones de la superficie, tipo de calzado o clima y la pendiente del techo.
MEETS ASTM D4869 & D226
CAN/CSA A123.3 | CCR - 0308





PRO GUARD 20
SYNTHETIC ROOFING UNDERLAYMENT

PRO GUARD 20
SYNTHETIC ROOFING UNDERLAYMENT

PRO GUARD 20
SYNTHETIC ROOFING UNDERLAYMENT

PRO GUARD 20
SYNTHETIC ROOFING UNDERLAYMENT

PRO GUARD 20
SYNTHETIC ROOFING UNDERLAYMENT

PRO GUARD 20
SYNTHETIC ROOFING UNDERLAYMENT

PRO GUARD 20
SYNTHETIC ROOFING UNDERLAYMENT

ABC
Supply Co. Inc.

ABC
Supply Co. Inc.

ABC
Supply Co. Inc.

ABC
Supply Co. Inc.



METTS ASTM D4869 & D 5107
CAN/ULC A123.1 | CCRP



OVERLAP LINE
LINEA DE SUPERPOSICION

Overlap line may vary with surface conditions, weather, moisture and roof pitch.
Linea de superposicion puede variar de acuerdo a las condiciones de la superficie, clima y la pendiente del techo.
OVERLAP LINE
LINEA DE SUPERPOSICION

Overlap line may vary with surface conditions, weather, moisture and roof pitch.
Linea de superposicion puede variar de acuerdo a las condiciones de la superficie, clima y la pendiente del techo.
OVERLAP LINE
LINEA DE SUPERPOSICION

Overlap line may vary with surface conditions, weather, moisture and roof pitch.
Linea de superposicion puede variar de acuerdo a las condiciones de la superficie, clima y la pendiente del techo.
OVERLAP LINE
LINEA DE SUPERPOSICION

