

DATE 05/10/2004

Columbia County Building Permit

PERMIT

This Permit Expires One Year From the Date of Issue

000021848

APPLICANT ROBERT SHEPPARD PHONE 623-2203

ADDRESS RT 19 BOX 1440 LAKE CITY FL 32025

OWNER WILLIAM SMITH PHONE 288-6280

ADDRESS 4816 N US 441 LAKE CITY FL 32055

CONTRACTOR MELVIN SHEPPARD PHONE

LOCATION OF PROPERTY 441 NORTH, 2 MILES PAST I-10 ON LEFT, TL INTO HIDDEN ACRES
2ND LOT ON RIGHT

TYPE DEVELOPMENT MH,UTILITY ESTIMATED COST OF CONSTRUCTION .00

HEATED FLOOR AREA TOTAL AREA HEIGHT .00 STORIES

FOUNDATION WALLS ROOF PITCH FLOOR

LAND USE & ZONING RSFMH-2 MAX. HEIGHT

Minimum Set Back Requirments: STREET-FRONT 25.00 REAR 15.00 SIDE 10.00

NO. EX.D.U. 1 FLOOD ZONE X DEVELOPMENT PERMIT NO.

PARCEL ID 05-3S-17-04848-001 SUBDIVISION HIDDEN ACRES MHP

LOT 2 BLOCK PHASE UNIT TOTAL ACRES

IH0000035

Culvert Permit No. Culvert Waiver Contractor's License Number Applicant/Owner/Contractor

EXISTING 125400024 RK RK

Driveway Connection Septic Tank Number LU & Zoning checked by Approved for Issuance New Resident

COMMENTS: ONE FOOT ABOVE THE ROAD

Check # or Cash 6878

FOR BUILDING & ZONING DEPARTMENT ONLY

(footer/Slab)

Temporary Power date/app. by Foundation date/app. by Monolithic date/app. by

Under slab rough-in plumbing date/app. by Slab date/app. by Sheathing/Nailing date/app. by

Framing date/app. by Rough-in plumbing above slab and below wood floor date/app. by

Electrical rough-in date/app. by Heat & Air Duct date/app. by Peri. beam (Lintel) date/app. by

Permanent power date/app. by C.O. Final date/app. by Culvert date/app. by

M/H tie downs, blocking, electricity and plumbing date/app. by Pool date/app. by

Reconnection date/app. by Pump pole date/app. by Utility Pole date/app. by

M/H Pole date/app. by Travel Trailer date/app. by Re-roof date/app. by

BUILDING PERMIT FEE \$.00 CERTIFICATION FEE \$.00 SURCHARGE FEE \$.00

MISC. FEES \$ 200.00 ZONING CERT. FEE \$ 50.00 FIRE FEE \$ WASTE FEE \$

FLOOD ZONE DEVELOPMENT FEE \$ CULVERT FEE \$ TOTAL FEE 250.00

INSPECTORS OFFICE CLERKS OFFICE

NOTICE: IN ADDITION TO THE REQUIREMENTS OF THIS PERMIT, THERE MAY BE ADDITIONAL RESTRICTIONS APPLICABLE TO THIS PROPERTY THAT MAY BE FOUND IN THE PUBLIC RECORDS OF THIS COUNTY. AND THERE MAY BE ADDITIONAL PERMITS REQUIRED FROM OTHER GOVERNMENTAL ENTITIES SUCH AS WATER MANAGEMENT DISTRICTS, STATE AGENCIES, OR FEDERAL AGENCIES.

"WARNING TO OWNER: YOUR FAILURE TO RECORD A NOTICE OF COMMENCEMENT MAY RESULT IN YOUR PAYING TWICE FOR IMPROVEMENTS TO YOUR PROPERTY. IF YOU INTEND TO OBTAIN FINANCING, CONSULT WITH YOUR LENDER OR AN ATTORNEY BEFORE RECORDING YOUR NOTICE OF COMMENCEMENT."

This Permit Must Be Prominently Posted on Premises During Construction

PLEASE NOTIFY THE COLUMBIA COUNTY BUILDING DEPARTMENT AT LEAST 24 HOURS IN ADVANCE OF EACH INSPECTION, IN ORDER THAT IT MAY BE MADE WITHOUT DELAY OR INCONVIENCE, PHONE 758-1008. THIS PERMIT IS NOT VALID UNLESS THE WORK AUTHORIZED BY IT IS COMMENCED WITHIN 6 MONTHS AFTER ISSUANCE.

The Issuance of this Permit Does Not Waive Compliance by Permittee with Deed Restrictions.

left message 4/20/04

PERMIT APPLICATION / MANUFACTURED HOME INSTALLATION APPLICATION

For Office Use Only

Zoning Official BLK 14.04.04

Building Official PK 4-20-04

AP# 0404-44

Date Received 4/13/04

By GT

Permit # 21848

Flood Zone X

Development Permit N/A

Zoning RSF/mh-2

Land Use Plan Map Category RES. Low Dev.

Comments Replacing MH in NON-CONFORMING Mobile Home Park

- ☐ Site Plan with Setbacks shown ☐ Environmental Health Signed Site Plan ☐ Env. Health Release
- ☐ Need a Culvert Permit ☐ Need a Waiver Permit ☐ Well letter provided ☐ Existing Well

- Property ID 05-35-17-04848-001 Must have a copy of the property deed
- New Mobile Home _____ Used Mobile Home ✓ Year 1997
- Subdivision Information _____
- Applicant William Smith Phone # 386-288-6280
- Address 4816 N us 441 lot 2
- Name of Property Owner William Smith Phone# 386-288-6280
- 911 Address 4816 N us 441 lot 2, Lake City, FL
- Name of Owner of Mobile Home William Smith Phone # 386-288-6280
- Address 4816 N us 441 lot 2
- Relationship to Property Owner 441 N Go past I10 2 miles
- Current Number of Dwellings on Property 8
- Lot Size 150 X 200 Total Acreage 4.62
- Explain the current driveway Existing
- Driving Directions 441 N Go past I10 2 miles park is on left
Hidden Acres lot #2
- Is this Mobile Home Replacing an Existing Mobile Home yes
- Name of Licensed Dealer/Installer Melvin Sheppard Phone # 623-2203
- Installers Address Rt 19 Box 1440 Lake City FL 32025
- License Number IH 0000035 Installation Decal # 220580

PERMIT NUMBER

Installer Melvin Sheppard License # JA0000033



Address of home being installed 4816 N US 441 lot #2

Manufacturer Fleetwood Length x width 16x80

NOTE: if home is a single wide fill out one half of the blocking plan
if home is a triple or quad wide sketch in remainder of home

I understand Lateral Arm Systems cannot be used on any home (new or used) where the sidewall ties exceed 5 ft 4 in.

Installer's initials MS



New Home ☐ Used Home ☒

Home installed to the Manufacturer's Installation Manual ☒

Home is installed in accordance with Rule 15-C ☐

Single wide ☒ Wind Zone II ☒ Wind Zone III ☐

Double wide ☐ Installation Decal # 220580

Triple/Quad ☐ Serial # 2739

PIER SPACING TABLE FOR USED HOMES

Load bearing capacity	Footer size (sq in)	16" x 16" (256)	18 1/2" x 18 1/2" (342)	20" x 20" (400)	22" x 22" (484)*	24" X 24" (576)*	26" x 26" (676)
1000 psf	3'	3'	4'	5'	6'	7'	8'
1500 psf	4'6"	4'6"	6'	7'	8'	8'	8'
2000 psf	6'	6'	8'	8'	8'	8'	8'
2500 psf	7'6"	7'6"	8'	8'	8'	8'	8'
3000 psf	8'	8'	8'	8'	8'	8'	8'
3500 psf	8'	8'	8'	8'	8'	8'	8'

* interpolated from Rule 15C-1 pier spacing table.

PIER PAD SIZES

I-beam pier pad size 17x22

Perimeter pier pad size 17x22

Other pier pad sizes (required by the mfg.) _____

Draw the approximate locations of marriage wall openings 4 foot or greater. Use this symbol to show the piers.

List all marriage wall openings greater than 4 foot and their pier pad sizes below.

Opening _____ Pier pad size _____

ANCHORS ☒ 4 ft ☒ 5 ft

FRAME TIES _____

within 2' of end of home spaced at 5' 4" oc ☒

TIEDOWN COMPONENTS _____

Longitudinal Stabilizing Device (LSD) _____

Manufacturer Oliver

Longitudinal Stabilizing Device w/ Lateral Arms _____

Manufacturer _____

OTHER TIES _____

Number 30

Sidewall 3

Longitudinal _____

Marriage wall _____

Shearwall _____

PERMIT NUMBER

POCKET PENETROMETER TEST

The pocket penetrometer tests are rounded down to 1600 psf or check here to declare 1000 lb. soil without testing.

X 1600 X 1600 X 1600

POCKET PENETROMETER TESTING METHOD

1. Test the perimeter of the home at 6 locations.
2. Take the reading at the depth of the footer.
3. Using 500 lb. increments, take the lowest reading and round down to that increment.

X 1600 X 1600 X 1600

TORQUE PROBE TEST

The results of the torque probe test is 295 inch pounds or check here if you are declaring 5' anchors without testing 295. A test showing 275 inch pounds or less will require 4 foot anchors.

Note: A state approved lateral arm system is being used and 4 ft. anchors are allowed at the sidewall locations. I understand 5 ft anchors are required at all centerline tie points where the torque test reading is 275 or less and where the mobile home manufacturer may require anchors with 4000 lb holding capacity.

MS Installer's initials

ALL TESTS MUST BE PERFORMED BY A LICENSED INSTALLER

Installer Name

Melvin Sheppard

Date Tested

4-12-04

Electrical

Connect electrical conductors between multi-wide units, but not to the main power source. This includes the bonding wire between multi-wide units. Pg. _____

Plumbing

Connect all sewer drains to an existing sewer tap or septic tank. Pg. 29
Connect all potable water supply piping to an existing water meter, water tap, or other independent water supply systems. Pg. 29

Site Preparation

Debris and organic material removed ✓
Water drainage: Natural ✓ Swale ✓ Pad ✓ Other ✓

Fastening multi wide units

Floor: Type Fastener: _____ Length: _____ Spacing: _____
Walls: Type Fastener: _____ Length: _____ Spacing: _____
Roof: Type Fastener: _____ Length: _____ Spacing: _____
For used homes a min. 30 gauge, 8" wide, galvanized metal strip will be centered over the peak of the roof and fastened with galv. roofing nails at 2" on center on both sides of the centerline.

Gasket (weatherproofing requirement)

I understand a properly installed gasket is a requirement of all new and used homes and that condensation, mold, mildew and buckled marriage walls are a result of a poorly installed or no gasket being installed. I understand a strip of tape will not serve as a gasket.

Installer's initials _____

Type gasket _____

Installed: _____

Between Floors Yes _____
Between Walls Yes _____
Bottom of ridgebeam Yes _____

Weatherproofing

The bottomboard will be repaired and/or taped. Yes ✓ Pg. 29
Siding on units is installed to manufacturer's specifications. Yes ✓
Fireplace chimney installed so as not to allow intrusion of rain water. Yes ✓

Miscellaneous

Skirting to be installed. Yes ✓ No _____
Dryer vent installed outside of skirting. Yes ✓ N/A _____
Range downflow vent installed outside of skirting. Yes ✓ N/A _____
Drain lines supported at 4 foot intervals. Yes ✓
Electrical crossovers protected. Yes ✓
Other: _____

Installer verifies all information given with this permit worksheet is accurate and true based on the manufacturer's installation instructions and or Rule 15C-1 & 2

Installer Signature

Melvin Sheppard


Date

4-13-04

PIER BLOCKING EXAMPLES


EXAMPLE A

BLOCKING (Single Tiered)



EXAMPLE B

BLOCKING (Double tiered and blocks interlocked)



COLUMBIA COUNTY INSPECTION SHEET

DATE 3/22/04 INSPECTION TAKEN BY GT

BUILDING PERMIT # _____ CULVERT / WAIVER PERMIT # _____

WAIVER APPROVED _____ WAIVER NOT APPROVED _____

PARCEL ID # _____ ZONING _____

SETBACKS: FRONT _____ REAR _____ SIDE _____ HEIGHT _____

FLOOD ZONE _____ SEPTIC _____ NO. EXISTING D.U. _____

TYPE OF DEVELOPMENT Pre-Inspection

SUBDIVISION (Lot/Block/Unit/Phase) Hidden Acres, Lot 2

OWNER William Smith PHONE _____

ADDRESS _____

CONTRACTOR _____ PHONE _____

LOCATION 441 N, past I-10 - 1 mile on left.
2nd house on right.

COMMENTS: _____

INSPECTION(S) REQUESTED: _____ INSPECTION DATE: Tues 3/23/04


_____ Temp Power _____ Foundation _____ Set backs _____ Monolithic Slab
_____ Under slab rough-in plumbing _____ Slab _____ Framing
_____ Rough-in plumbing above slab and below wood floor _____ Other _____
_____ Electrtical Rough-in _____ Heat and Air duct _____ Perimeter Beam (Lintel)
_____ Permanent Power _____ CO Final _____ Culvert _____ Pool _____ Reconnection
_____ M/H tie downs, blocking, electricity and plumbing _____ Utility pole
_____ Travel Trailer _____ Re-roof _____ Service Change _____ Spot check/Re-check

INSPECTORS:

APPROVED ✓ NOT APPROVED _____ BY [Signature] POWER CO. _____

INSPECTORS COMMENTS: _____

Hidden Acres



0404-44



APPROXIMATE SCALE IN FEET
2000 0 2000


NATIONAL FLOOD INSURANCE PROGRAM

**FIRM
FLOOD INSURANCE RATE MAP**

COLUMBIA
COUNTY,
FLORIDA
(UNINCORPORATED AREAS)

PANEL 125 OF 290

PANEL LOCATION



COMMUNITY-PANEL NUMBER

120070 0125 B

EFFECTIVE DATE:

JANUARY 6, 1988



Federal Emergency Management Agency

This is an official copy of a portion of the above referenced flood map. It was extracted using F-MIT Version 1.0. This map does not reflect changes or amendments which may have been made subsequent to the date on the title block. Further information about National Flood Insurance Program flood hazard maps is available at www.fema.gov/firm/firm.

Print Date: 4/14/2004 (printed at scale and type A)

