**Columbia County New Building Permit Application** Date Received 3/25 By Application # 4484() For Office Use Only Zoning Official LV Date 3-30-20 Flood Zone X Land Use FEMA Map # Elevation MFE River Plans Examiner Comments NOC MEH Deed or PA Site Plan - State Road Info Well letter #911 Sheet - Parent Parcel # □ In Floodway □ Letter of Auth. from Contractor ✓□ F W Comp. letter □ Owner Builder Disclosure Statement □ Land Owner Affidavit □ Ellisville Water Mapp Fee Paid (Sub VF Form OR City Water Fax Applicant (Who will sign/pickup the permit) Isaiah Cully Phone 386-867-0086 Address 818 W Duval Lake City FL 32055 Owners Name Brown Road Builders 911 Address 586 NW High Point Dr Lake City FL 32055 Phone 386-867-0086 Contractors Name Isaiah Cully Address 818 W Duval Lake City FL 32055 Contractor Email Isaiahcully4@gmail.com \*\*\*Include to get updates on this job. Fee Simple Owner Name & Address\_ Bonding Co. Name & Address Architect/Engineer Name & Address Nicholas Geisler 1758 NW Brown rd Lake City FL 32055 Mortgage Lenders Name & Address Circle the correct power company 🗸 FL Power & Light Clay Elec. Suwannee Valley Elec. Duke Energy Property ID Number 20-3S-16-02202-110 Estimated Construction Cost 142,000 Subdivision Name High Pointe Lot <sup>10</sup> Block Unit Phase Driving Directions from a Major Road HWY 90 west to brown rd, brown rd to NW Brook loop, High point dr on right Highpoint dr to cul-de-sac, project on left Construction of SFD Commercial OR X Residential Proposed Use/Occupancy Residential home Number of Existing Dwellings on Property\_\_\_\_ Is the Building Fire Sprinkled?\_\_\_\_\_ If Yes, blueprints included\_\_\_\_ Or Explain or Culvert Waiver or D.O.T. Permit or Have an Existing Drive Circle Proposed | Culvert Permit Actual Distance of Structure from Property Lines - Front 58 Side 27 LH Side 26.5 RH Rear 645 Number of Stories 1 Heated Floor Area 2110 Total Floor Area 3022 Acreage 3.71 Zoning Applications applied for (Site & Development Plan, Special Exception, etc.) Soft enail 3.030.201

#### Columbia County Building Permit Application

#### CODE: Florida Building Code 2017 and the 2014 National Electrical Code.

Application is hereby made to obtain a permit to do work and installations as indicated. I certify that no work or installation has commenced prior to the issuance of a permit and that all work be performed to meet the standards of all laws regulating construction in this jurisdiction.

<u>TIME LIMITATIONS OF APPLICATION</u>: An application for a permit for any proposed work shall be deemed to have been abandoned 180 days after the date of filing, unless pursued in good faith or a permit has been issued.

<u>TIME LIMITATIONS OF PERMITS:</u> Every permit issued shall become invalid unless the work authorized by such permit is commenced within 180 days after its issuance, or if the work authorized by such permit is suspended or abandoned for a period of 180 days after the time work is commenced. A valid permit receives an approved inspection every 180 days. Work shall be considered not suspended, abandoned or invalid when the permit has received an approved inspection within 180 days of the previous approved inspection.

FLORIDA'S CONSTRUCTION LIEN LAW: Protect Yourself and Your Investment: According to Florida Law, those who work on your property or provide materials, and are not paid-in-full, have a right to enforce their claim for payment against your property. This claim is known as a construction lien. If your contractor fails to pay subcontractors or material suppliers or neglects to make other legally required payments, the people who are owed money may look to your property for payment, even if you have paid your contractor in full. This means if a lien is filed against your property, it could be sold against your will to pay for labor, materials or other services which your contractor may have failed to pay.

NOTICE OF RESPONSIBILITY TO CONTRACTOR AND AGENT: YOU ARE HEREBY NOTIFIED as the recipient of a building permit from Columbia County, Florida, you will be held responsible to the County for any camage to sidewalks and/or road curbs and gutters, concrete features and structures, together with damage to drainage facilities, removal of sod, major changes to lot grades that result in ponding of water, or other damage to roadway and other public infrastructure facilities caused by you or your contractor, subcontractors, agents or representatives in the construction and/or improvement of the building and lot for which this permit is issued. No certificate of occupancy will be issued until all corrective work to these public infrastructures and facilities has been corrected.

<u>WARNING TO OWNER:</u> YOUR FAILURE TO RECORD A NOTICE OF COMMENCEMENT MAY RESULT IN YOU PAYING TWICE FOR IMPROVEMENTS TO YOUR PROPERTY. A NOTICE OF COMMENCEMENT MUST BE RECORDED AND POSTED ON THE JOB SITE BEFORE THE FIRST INSPECTION. IF YOU INTEND TO OBTAIN FINANCING, CONSULT WITH YOUR LENDER OR ATTORNEY BEFORE RECORDING YOUR NOTICE OF COMMENCEMENT.

OWNERS CERTIFICATION: I CERTIFY THAT ALL THE FOREGOING INFORMATION IS ACCURATE AND THAT ALL WORK WILL BE DONE IN COMPLIANCE WITH ALL APPLICABLE LAWS REGULATING CONSTRUCTION AND ZONING.

NOTICE TO OWNER: There are some properties that may have deed restrictions recorded upon them. These restrictions may limit or prohibit the work applied for in your building permit. You must verify if your property is encumbered by any restrictions or face possible litigation and or fines.

Brown Road Builders	Juan Ale	Brown, P	CS, be	roperty owners r	nust sign here
Print Owners Name	Owners Signature	eman , 1	Un DE	efore any permit	will be issued.
**If this is an Owner Builder Permit	Application then, ONI	Y the owner o	an sign th	e building permit w	hen it is issued.
CONTRACTORS AFFIDAVIT: By my written statement to the owner o this Building Permit including all	t all the above writte	en responsib	ilities in C	have informed an Columbia County	d provided this for obtaining
Contractor's Signature		Contracto Columbia Competer	County	se Number CBC125	59655
Affirmed under penalty of perjury to Personally known or Produced	by the <u>Contractor</u> and Identification	d subscribed b	efore me t	this <u>//</u> day of <u>/</u>	May 2020
State of Florida Notary Signature (Fo	or the Contractor)	SEAL:	A A	lotary Public State of Florida undrew Tyler ly Commission GG 923385 xoires 10/16/2023	<b>~</b>

Page 2 of 2 (Both Pages must be submitted together.)

#### **SUBCONTRACTOR VERIFICATION**

APPLICATION/PERMIT# 44846	JOB NAME Brown	Roll Builder
---------------------------	----------------	--------------

### THIS FORM MUST BE SUBMITTED BEFORE A PERMIT WILL BE ISSUED

Columbia County issues combination permits. One permit will cover all trades doing work at the permitted site. It is REQUIRED that we have records of the subcontractors who actually did the trade specific work under the general


NOTE: It shall be the responsibility of the general contractor to make sure that all of the subcontractors are licensed with the Columbia County Building Department.

Use website to confirm licenses: http://www.columbiacountyfla.com/PermitSearch/ContractorSearch.aspx

NOTE: If this should change prior to completion of the project, it is your responsibility to have a corrected form submitted to our office, before that work has begun.

Violations will result in stop work orders and/or fines

TOTALIONS WI	result in stop work orders and/or fines.	
ELECTRICAL	Print Name Ocnis Conklin Signature Omas Conklin	Need Z Lic
CONT	Company Name: D&S ELECTIC FVERTON RUDGEY	□ Liab
cc#871	License #: 1300 3600 Phone #: 386 397-5731	
MECHANICAL/	100000000000000000000000000000000000000	— □ DE Need
A/C V	Company Name: WISON Hegt & Air	= Uc E Liab
cc# <u>802</u>	License #: CACG 57886 Phone #: 346496 4000	
PLUMBING/	Com Och O	Need Need
GAS V		D Lic
cc#_7/5	- De Lui	_ = w/c
ROOFING	Print Name + YCen 14/14 Signature Signature	E EX
V	Company Name: TM POOP 11/16	— □ Lic
cc#_ 147	License #: CCC 1330410 Phone #: 352-717-4176	- D Liab
SHEET METAL	Print Name	D EX
	Print NameSignature	Need □ Lic
CC#	Company Name:	- □ W/C
FIRE SYSTEM/	License #:Phone #:	DE EX
SPRINKLER SPRINKLER	Print NameSignature	Need □ Lic
	Company Name:	□ Uab □ W/C
CC#	License#:Phone #:	□ EX □ DE
SOLAR	Print NameSignature	Need
	Company Name:	□ Liab
CC#	License #: Phone #:	□ EX
STATE	Print NameSignature	Need
SPECIALTY	Company Name:	□ Lic
CC#	License #:Phone #:	□ w/c
Of FC 440 403		□ DE



PRRD BOOK 1 PG 3

UTH, RANGE 16 EAST, COLLIMEN, COUNTY, FLORIDA, BEING MORE PERSONG COMMANCE AT THE SOUTH LINE, OF TACHO 20, A DISTANCE OF 1.50 FEET TO 6614" NEST ALMIC SUB SOUTH LINE, A DISTANCE OF 2734.37 FRET ZE RINK NORTH O1/40"4" NEST ALMIC THE MEST LINE OF SAID AS SOUTH SCHOOL OF SAID STATES, A DISTANCE OF 389.80 FEET, ST TERT, THANCE RIN SOUTH TO THE SOUTH RIGHT-OF-TAY LINE, A DISTANCE OF 1831.70 EET SAID SOUTH RIGHT-OF-TAY LINE, A DISTANCE OF 1831.70 EET SAID SOUTH RIGHT-OF-TAY LINE, A DISTANCE OF 1831.70 EET SAID SOUTH RIGHT-OF-TAY LINE, A DISTANCE OF 1831.70 EET SAID SOUTH RIGHT-OF-TAY LINE, A DISTANCE OF 1831.70 EET

STATEMENT OF OBJECTIVES
THE DEVELOPMENT CONTAINS APPROXIMATELY 160.30 ACRES LOCATED ON BROWN
BOAD, THE DEVELOPMENT INCLUDES 98 LOTS RANGING IN SIZE FROM APPROXIMATELY
LET ACRES TO 23.96 ACRES.

THE DEVELOPMENT ALLOYS ONLY SINGLE FAMILY HOMES AND APPERTMENT STRUCTURES, THERE WILL BE AN ATRACTIVELY LANGUAPED ENTRANCE, THE ROADS WILL BE PUBLICLY OWNED AND MAINTAINED BY THE COUNTY.

1) LAND USE: RESIDENTIAL SINGLE FAMILY WITH ONE RESIDENCE PER LOT. THE PROPERTY IS DORDREED ON THE NORTH BY ENOTH ROLL PRESIDENTIAL LOT: ON THE WEST BY FAIRFALD HOOK OURDEVISION AND PRIFERS ALL SESTIONS AND THE WEST BY ALL SESSIONS AND THE WEST BY A PROPERTY BY ARCHIOLUSIAN LAW. THE SESTION AND THE PROPERTY BY ARCHIOLUSIAN LAW. THE SESTION AND THE PROPERTY BY ARCHIOLUSIAN BANG SESTION BANG

BULDING SETBACKS: PUILDING SETBACKS SHALL BE AS FOLLOWS: A. SIDE AND BEAR OF PROPERTY LINES - 25 FEET B. FRONT ALONG STREETS - 30 FEET

MAMAMM HEGHT OF BULLDNGS: THE MAMAMM HEGHT OF BULLDNGS
SHALL BE SE FEAT, HEGHT OF BULLDNG IS THE WERTICAL DISTANCE
HEASURDD FROM THE ESTABLISHED GRADE AT CORNERS OF THE FRONT OF
THE BULLDNING TO THE HIGHEST POINT OF THE BOOT SURFACE OF A FAAT
TOP ROOF, TO THE HIGHEST POINT OF THE DESCRIPT, TO THE
LEAN HEIGHT LYELE ENTERMS MANS AND BOOD OF GALAL; HIT, CORE,
LEAN HEIGHT LYELE ENTERMS MANS AND HOAD AT CHARLES, HE TO THE
DESTANCE FROM THE GROUND TO THE AFEX OF A-FRAME, AND DOME ROOPS.

ARTERIAL STREET: THE ONLY ARTERIAL STREETS INVOLVED IN THIS DETELOPMENTARE BROWN ROAD AND REPORK LOOP. THE LOCAL ACCESS STREET TO BROWN ROAD IS U.S. HIGHWAY NO. SO.

SCREENING, BUFFERING AND LANDSCAPING: SCREENING, BUFFERING AND LANDSCAPE BUFFERD AREAS SHALL BE IN COMPLIANCE WITH CHAPTER DAELS SHALL BE IN COMPLIANCE WITH CHAPTER DAELS COLUMBA COUNTY COMING REGULATIONS, OR STOCK REGULATIONS IN EFFECT AT THE TIME EACH HOME IS BUILT, WHICHEVER IS LESS RESTRICTIVE. COMMON OUTSIDE STORAGE AERA. THERE WILL HE NO PROVISION MADE FOR COMMON OUTSIDE STORAGE REASEA, ELATH JOT 19 LABE ENOUGH THAT THE OWNER CAN PROVIDE HIS OR HER OWN STORAGE AREA.

STATEMENT CONCERNING PROPOSED FLOOR AREA RATIOS THE MAXIMUM PLOOR AREA SHALL NOT EXCEED 20% AND THE MAXIMUM BUILDING COVERAGE SHALL NOT EXCEED 40% OF THE TOTAL DEVELOPED AREA OF EACH LOT AS SHOPN.

UTILITY SERVICE PLAN

THIS AREA IS NOT SERVED BY A PUBLIC WATER OR SEWER SYSTEM, EACH LOT WILL

BECCHYE WATER FROM ITS' OWN PRIVATE WELL AND EACH RESIDENCE WILL HAVE ITS'

OWN SEPTIC TANK.

LL SOUTH/ ATA'T AND FIGRIDA POWER AND LIGHT COMPANY WILL BE GRANTED SELENTS WITHIN HEE PROJECT SITE TO CONSTRUCT UTILITY FACILITES, THESE I DETERMINED PRIOR TO FINAL PRRD.

TOTAL LOT ACREAGE ( RESIDENTIAL ) -172.43 ± ACRES
TOTAL ROAD RIGHT-OF-WAY ACREAGE -7.87 ± ACRES
TOTAL ACREAGE - 180.30± ACRES

LAND USE

A BUFFER NOTE

A BUFFER ZONE OF ZOO FEET HAS BEEN ESTABLISHED
AGRICA A PORTION OF THE SUBDIVISION BOURDARY
(AFFECTING LOTS 1-12:17-23 AND 34) IN WHICH NO
BULDING CAN BE FLACE OR CONSTRUCTED.

THIS PLAY, AS RECORDED IN ITS THIS PLAY, AS RECORDED IN ITS GRAPHIC FORMLIS THE OFFICIAL DEPICTION OF THE SUDDIVIDED LAWIS DEFOCURED HEREIN AT THE SUDDIVIDED LAWIS DEFOCURED ON THE ANY OTHER CREATED ON THE PLAY OTHER CREATED ON THE PLAY OTHER MAY DESCRIPTIONS THAT BEE MY DISCRIPTIONS THAT DESCRIPTIONS THAT DESCRIPTIONS THE PUBLIC RECORDS OF THIS COUNTY.

ALL PLATTED UTILITY EASEMENTS SHALL
ALSO BE
PROVIDE THAT SUCH EASEMENTS SHALL ALSO BE
EASEMENTS FOR THE CONSTRUCTION, INSTALLATION,
AUANTEMANCE AND OPERATION OF CABLE TELEVISION
SERVICES PROVIDED, HOWEVER, NO SUCH
CONSTRUCTION, INSTALLATION, MANTENANCE, AND
CONSTRUCTION, INSTALLATION, MANTENANCE, AND
CONSTRUCTION, INSTALLATION, AMPLIENCES SHALL
INTERFERE WITH THE PACILITIES AND SERVICES OF
ELECTRIC, TELEPHONE, GAS OR OTHER PUBLIC
UTILITY, IN THE EVERT THAT A CABLE TELEVISION MAINTENANCE, AND
MAINTENANCES, AND
MAINTENANCES SHALL
ESS AND SERVICES OF
R OTHER PUBLIC
A CABLE TELEVISION
JITIES OF A PUBLIC
RESPONSIBLE FOR THI

# ABBREVIATIONS

CONC. — CONCERTE

P — IRON PIPE

REB. — RESLAR

ST. — STREET

ST. — STRE

ORIA DEPARTMENT OF TRANSPORTATION
WIT OF CHREATURE
OF TAMERICA
THE OF TRANSPORT
OF TRANSPORT
OF TRANSPORT
OF TRANSPORT
OF COMPOUND CURVATURE
SINT OF COMPOUND CURVATURE

PERMANENT CONTROL POINT
PERMANENT REFERENCE MONUMENT
PERMANENT REFERENCE MONUMENT
PE OF PATEMENT
PE OF FALIE
PE OF PATEMENT
PE

## LEGEND AND NOTES:

DENOTES P.R.M. ( PERMANENT REFERENCE MONUMENT) SET, 4"x4"x24" CONCRETE MONUMENT, STAMPED L.B. # 7170

О


- DENOTES P.R.M. ( PERMANENT REFERENCE MONUMENT) FOUND, 4"x4" CONCRETE MONUMENT, R.L.S. | 2245
- DENOTES P.C.P. ( PERMANENT CONTROL POINT) SET. 2"x2" ALUMINUM PLATE, STAMPED L.B. # 7170

BEARINGS ARE BASED ON THESOUTH LINE OF SECTION (NB9'26'44" W)

2) FOR SECTION BREAKDOWN, SEE JOB FILE THIS OFFICE.

4) 5/8"x 20" REBAR (WITH CAP STAMPED LB. 

₱ 7170) SET AT INTERSECTION
OF ALL LOT LINES AND WETLAND BUFFER LINES.



LINE TABLE

### RESIDENTIAL DEVELOPMENT PLANNED RURAL POINTE

PRRD BOOK 1 P6 29

SECTION 20 TOWNSHIP 03 SOUTH, RANGE 16 EAST COLUMBIA COUNTY, FLORIDA. CURVE TABLE

116	117	LIG	Ho	H	CTI	112	ш	110	6	16	1.7	8	5	Z	E	20	E	
N 83"33"67" E	S 01.03,39, E	3 01.03.30 2	N 66'06'14' E	S 50"45"20" E	3 01.03,36, 2	S 01.03.36, E	S 44.62.20 E	N 44'40'07" E	S 89*26'09 E	N 59"57"07" E	S 46'33'37' W	N 74"25"37" W	N 29"23"37" W	S 16'36'23" W	N 80.58.08, M	N 46'14'63" W	N 89"26 09" W	-
130.57	10.00	10.00	141.00	9.44	61.48	58.72	42.86	41.82	140.54	41.94	42.85	53.00	42.43	58.07	142.24	43.02	171.39	

 REVISED: AF	SCALE: 1" = 200" D/
IPPROVED BY:	DATE SURVEYED: 02-05-07
 DRAWN BY: SH	7 DATE DRAWN: 03-07-07

SHERMAN FRIER & ASSOCIATES, LAND SURVEYORS CERTIFICATE OF AUTHORIZATION - LB# 7170 130 W. HOWARD ST. / P.O. BOX 560 LIVE OAK, FL 32064 PHONE: 386-362-4629 - FAX: 386-362-5270 INC.

SSOCIATES, INC.

CR # 10-7314

PERMIT NO. OC DATE PAID: 3



#### STATE OF FLORIDA DEPARTMENT OF HEALTH

ONSITE SEWAGE TREATMEN SYSTEM APPLICATION FOR CONSTR	RECEIPT #:
APPLICATION FOR:  [X] New System [] Existing Sys  [] Repair [] Abandonment	tem [ ] Holding Tank [ ] Innovative
APPLICANT: BROWN ROAD PROPERTIES, LLC.	
AGENT: IC CONSTRUCTION	TELEPHONE: (386) 867-0086
MAILING ADDRESS: 818 WEST DUVAL STREET	LAKE CITY FL 32055
BY A PERSON LICENSED PURSUANT TO 489.10. APPLICANT'S RESPONSIBILITY TO PROVIDE D	NT'S AUTHORIZED AGENT. SYSTEMS MUST BE CONSTRUCTED 5(3) (m) OR 489.552, FLORIDA STATUTES. IT IS THE OCUMENTATION OF THE DATE THE LOT WAS CREATED OR ERATION OF STATUTORY GRANDFATHER PROVISIONS.
PROPERTY INFORMATION	
LOT: 10 BLOCK: N/A SUBDIVISION	: HIGHPOINT SBDV. PLATTED:
PROPERTY ID #: 20-3S-16-02202-110	ZONING: RES I/M OR EQUIVALENT: [ NO ]
PROPERTY SIZE: 3.710 ACRES WATER SUPP	LY: [X] PRIVATE PUBLIC [ ]<=2000GPD [ ]>2000GPD
IS SEWER AVAILABLE AS PER 381.0065, FS?	[ NO ] DISTANCE TO SEWER: N/A FT
PROPERTY ADDRESS: NW HIGHP	OINT DRIVE
	ST, TURN RIGHT ON BROWN ROAD, TURN LEFT ON RN RIGHT ON NW HIGHPOINT DRIVE, SITE IS NEAR THE END
BUILDING INFORMATION [X] RESIDENTIAL	L [ ] COMMERCIAL
Unit Type of No. of Bedrooms	Building Commercial/Institutional System Design Area Sqft Table 1, Chapter 64E-6, FAC
1 1101101	2110
HOUSE 4	
3	
4	
·	
[ ] Floor/Equipment Drains [ ] Other	
SIGNATURE:	DATE: 3.25.70

DH 4015, 08/09 (Obsoletes previous editions which may not be used) Incorporated 64E-6.001, FAC

Application for Onsite Sewage Disposal System II Site Plan Construction Permit. Part Permit Application Number: ALL CHANGES MUST BE APPROVED BY THE COUNTY HEALTH UNIT TBM SWALE NORTH SITE 1 CR# 10 - 7314150 650' SITE 2 60' 100 WELL DRIVE WAY SLOPE 440 WATER LINE 763 NO WELLS WITHIN 100' LINCH = 100 FEET Site Plan Submitted By
Plan Approved Not Approved Date CPHU Notes:



#### Columbia County Property Appraiser Jeff Hampton | Lake City, Florida | 386-758-1083

PARCEL: 20-3S-16-02202-110 | VACANT (000000) | 3.71 AC

LOT 10 HIGH POINTE S/D WD 1189-1043, WD 1390-1793,

2020 Working Values **BROWN ROAD BUILDERS INC** Owner: 1140 SW BASCOM NORRIS \$30,000 Appraised Mkt Lnd \$30,000 LAKE CITY, FL 32025 Ag Lnd \$0 Assessed \$30,000 586 HIGH POINT DR, LAKE CITY Site: Bldg \$0 Exempt county:\$30,000 city:\$30,000 other:\$30,000 school:\$30,000 Sales 8/1/2019 2/19/2010 \$35,000 V (U) \$550,000 V (V) **XFOB** \$0 Total Taxable Info \$30,000 Just



This information, was derived from data which was compiled by the Columbia County Property Appraiser Office solely for the governmental purpose of property assessment. This information should not be relied upon by anyone as a determination of the ownership of property or market value. No warranties, expressed or implied, are provided for the accuracy of the data herein, it's use, or it's interpretation. Although it is periodically updated, this information may not reflect the data currently on file in the Property Appraiser's office.

GrizzlyLogic.com



#### BOARD OF COUNTY COMMISSIONERS • COLUMBIA COUNTY

#### **Address Assignment and Maintenance Document**

To maintain the county wide Addressing Policy you must make application for a 9-1-1 Address at the time you apply for a building permit. The established standards for addressing and posting numbers to all principal buildings, dwellings, businesses and industries are contained in Columbia County Ordinance 2001-9. The addressing system is to enable Emergency Services Agencies to locate you in an emergency, and to assist the United States Postal Service and the public in the timely and efficient provision of services to residents and businesses of Columbia County

Date/Time Issued:

8/20/2019 2:49:47 PM

Address:

586 NW HIGH POINT Dr

City:

LAKE CITY

State:

FL

Zip Code

32055

Parcel ID

02202-110

REMARKS: Address for proposed structure on parcel.

NOTICE: THIS ADDRESS WAS ISSUED BASED ON LOCATION AND ACCESS INFORMATION RECEIVED FROM THE REQUESTER. SHOULD, AT A LATER DATE, THE LOCATION AND/OR ACCESS INFORMATION BE FOUND TO BE IN ERROR OR CHANGED, THIS ADDRESS IS SUBJECT TO CHANGE.

Address Issued By:

Signed:/ Matt Crews

Columbia County GIS/911 Addressing Coordinator

COLUMBIA COUNTY
911 ADDRESSING / GIS DEPARTMENT

263 NW Lake City Ave., Lake City, FL 32055 Telephone: (386) 758-1125 Email: gis@columbiacountyfla.com



Department of State / Division of Corporations / Search Records / Detail By Document Number /

#### **Detail by Entity Name**

Florida Profit Corporation BROWN ROAD BUILDERS, INC

Filing Information

**Document Number** 

P15000031357

**FEI/EIN Number** 

47-3623316

**Date Filed** 

04/06/2015

**Effective Date** 

04/06/2015

State

FL

Status

ACTIVE

Principal Address

1140 SW BASCOM NORRIS DRIVE

SUITE 107

LAKE CITY, FL 32025

**Mailing Address** 

1140 SW BASCOM NORRIS DRIVE

**SUITE 107** 

LAKE CITY, FL 32025

Registered Agent Name & Address

MUENCHEN, JOHN R

1140 SW BASCOM NORRIS DRIVE

SUITE 107

LAKE CITY, FL 32025

Officer/Director Detail

Name & Address

Title P

HICKMAN, TREVOR E 164 SW KEVIN GLEN LAKE CITY, FL 32024

Title VP

NASH, SYLVESTER T 3624 NW BROWN ROAD LAKE CITY, FL 32055

Titla TRFA

HUG HILLA

MUENCHEN, JOHN R 1140 SW BASCOM NORIS DRIVE SUITE 107 LAKE CITY, FL 32025

Title SEC

CARPENTER, KEVIN D 12276 SAN JOSE BOULEVARD SUITE 618 JACKSONVILLE, FL 32223

#### **Annual Reports**

Report Year	Filed Date
2017	04/29/2017
2018	04/28/2018
2019	05/01/2019


#### **Document Images**

05/01/2019 ANNUAL REPORT	View image in PDF format
04/28/2018 ANNUAL REPORT	View image in PDF format
04/29/2017 ANNUAL REPORT	View image in PDF format
04/28/2016 ANNUAL REPORT	View image in PDF format
04/06/2015 - Domestic Profit	View image in PDF format

#### A&B Well Drilling, Inc.

5673 NW Lake Jeffery Road Lake City, FL 32055 Telephone: (386) 758-3409 Cell: (386) 623-3151 Fax: (386) 758-3410 Owner: Bruce Park

March 17, 2020 To: Columbia County Building Department
Description of Well to be installed for CustomerIC Const
Located @ Address:High Point Farms lot
1.5 HP 20 GPM submersible pump, 11/4" drop pipe, 85 gallon captive tank, and backflow prevention. With SRWMD permit.
Bruce Park Sincerely,
Bruce N. Park President





#### COLUMBIA COUNTY BUILDING DEPARTMENT RESIDENTIAL CHECK LIST

MINIMUM PLAN REQUIREMENTS: FLORIDA BUILDING CODE RESIDENTIAL 2017 EFFECTIVE 1 JANUARY 2018 AND THE NATIONAL ELECTRICAL 2014 EFFECTIVE 1 JANUARY 2018

#### ALL REQUIREMENTS ARE SUBJECT TO CHANGE

ALL BUILDING PLANS MUST INDICATE COMPLIANCE WITH THE CURRENT FLORIDA BUILDING CODES RESIDENTIAL AND THE NATIONAL ELECTRICAL CODE. ALL PLANS OR DRAWINGS SHALL PROVIDE CALCULATIONS AND DETAILS THAT HAVE THE SEAL AND SIGNATURE OF A CERTIFIED ARCHITECT OR ENGINEER REGISTERED IN THE STATE OF FLORIDA, OR ALTERNATE METHODOLOGIES, APPROVED BY THE STATE OF FLORIDA BUILDING COMMISSION FOR ONE-AND-TWO FAMILY DWELLINGS, FBC 1609.3.1 THRU 1609.3.3.

FOR DESIGN PURPOSES THE FOLLOWING BASIC WIND SPEEDS ARE PER FLORIDA BUILDING CODE FIGURE 1609-A
THROUGH 1609-C ULTIMATE DESIGN WIND SPEEDS FOR RISK CATEGORY AND BUILDINGS AND OTHER STRUCTURES
Revised 7/1/18

Website: http://www.columbiacountyfla.com/BuildingandZoning.asp  GENERAL REQUIREMENTS: APPLICANT – PLEASE CHECK ALL APPLICABLE BOXES BEFORE SUBMITTAL		Items to Inc Each Box sh Circled a Applicab	all be is
	Sele	ct From Dro	p down
1 Two (2) complete sets of plans containing the following:	V		
2 All drawings must be clear, concise, drawn to scale, details that are not used shall be marked void	V		
3 Condition space (Sq. Ft.) 2//o Total (Sq. Ft.) under roof 3022	Y	es No	NA

Designers name and signature shall be on all documents and a licensed architect or engineer, signature and official embossed seal shall be affixed to the plans and documents as per the FLORIDA BUILDING CODES RESIDENTIAL 107.1.

Site Plan information including:

17

18

19

20

Number of stories

4	Dimensions of lot or parcel of land	Yes	
5	Dimensions of all building set backs	Yes	
6	Location of all other structures (include square footage of structures) on parcel, existing or proposed well and septic tank and all utility easements.	Yes	
7	Provide a full legal description of property.	Yes	▼

#### Wind-load Engineering Summary, calculations and any details are required.

Location, size and height above roof of chimneys

Location and size of skylights with Florida Product Approval

Building height from the established grade to the roofs highest peak

	GENERAL REQUIREMENTS: APPLICANT – PLEASE CHECK ALL APPLICABLE BOXES BEFORE SUBMITTAL	Each C	s to Inclu Box shal Circled as plicable	
8	Plans or specifications must show compliance with FBCR Chapter 3	Yes	No	NA
		Select Fro	m Drop	down
9	Basic wind speed (3-second gust), miles per hour	Yes		
10	(Wind exposure – if more than one wind exposure is used, the wind exposure and applicable wind direction shall be indicated)	Yes		
11	Wind importance factor and nature of occupancy	Yes		$\overline{\mathbf{v}}$
12	The applicable internal pressure coefficient, Components and Cladding	Yes		$\overline{}$
13	The design wind pressure in terms of psf (kN/m²), to be used for the design of exterior component, cladding materials not specifally designed by the registered design professional.	Yes		
Ele	vations Drawing including:			
14	All side views of the structure	Yes		
15	Roof pitch	Yes		
16	Overhang dimensions and detail with attic ventilation	Yes		

Yes

Yes

Yes

Yes

Floor Plan Including:

21	Dimensioned area plan showing rooms, attached garage, breeze ways, covered porches, deck, balconies	Yes	
22	Raised floor surfaces located more than 30 inches above the floor or grade	Yes	
23	All exterior and interior shear walls indicated	Yes	
24	Shear wall opening shown (Windows, Doors and Garage doors)	Yes	
25	Show compliance with Section FBCR 310 Emergency escape and rescue opening shown in each		
ripaning	bedroom (net clear opening shown) and Show compliance with Section FBC 1405.13.2 where the opening of an operable window is located more than 72 inches above the finished grade or surface below, the lowest part of the clear opening of the window shall be a minimum of 24 inches above the finished floor of the room in which the window is located. Glazing between the floor and 24 inches shall be fixed or have openings through which a 4-inch-diameter sphere cannot pass.	Yes	V
26	Safety glazing of glass where needed	Yes	~
27	Fireplaces types (gas appliance) (vented or non-vented) or wood burning with Hearth (see chapter 10 and chapter 24 of FBCR)	Yes	✓
28	Show stairs with dimensions (width, tread and riser and total run) details of guardrails, Handrails	Yes	
29	Identify accessibility of bathroom (see FBCR SECTION 320)	Yes	_

All materials placed within opening or onto/into exterior walls, soffits or roofs shall have Florida product approval number and mfg. installation information submitted with the plans (see Florida product approval form)

GENERAL REQUIREMENTS: APPLICANT – PLEASE CHECK ALL APPLICABLE BOXES BEFORE SUBMITTAL	Items to l Each Box Circle Applic	shall be ed as
FBCR 403: Foundation Plans	Select Fron	n Drop dow
30 Location of all load-bearing walls footings indicated as standard, monolithic, dimensions, size and type of reinforcing.	Yes	
31 All posts and/or column footing including size and reinforcing	Yes	~
32 Any special support required by soil analysis such as piling.	Yes	
33 Assumed load-bearing valve of soil Pound Per Square Foot	Yes	
Location of horizontal and vertical steel, for foundation or walls (include # size and type) For structure with foundation which establish new electrical utility companies service connection a Concrete Encased Electrode will be required within the foundation to serve as an grounding electrode system. Per the National Electrical Code article 250.52.3	Yes	☑
FBCR 506: CONCRETE SLAB ON GRADE	Yes	
<ul> <li>Show Vapor retarder (6mil. Polyethylene with 'pints la ch 6 inches and sealed)</li> <li>Show control j oints, synthetic fiber reinforcement or welded fire fabric reinforcement and Sports</li> </ul>	Yes	- V
FBCR 318: PROTECTION AGAINST TERMITES  Indicate on the foundation plan if soil treatment is used for subterranean termite prevention or Submit other approved termite protection methods. Protection shall be provided by registered termiticides	Yes	✓
FBCR 606: Masonry Walls and Stem walls (load bearing & shear Walls)  38 Show all materials making up walls, wall height, and Block size, mortar type	Yes	
20.01 1111.1.1.1.		

Metal frame shear wall and roof systems shall be designed, signed and sealed by Florida Prof. Engineer or Architect

39 Show all Lintel sizes, type, spans and tie-beam sizes and spacing of reinforcement

Yes

Floor Framing System: First and/or second story

- Desirable St.	Of a switching of breaks a size which of beroad broad		
40	Floor truss package shall including layout and details, signed and sealed by Florida Registered Professional Engineer	Yes	
41	Show conventional floor joist type, size, span, spacing and attachment to load bearing walls, stem walls and/or priers	Yes	
42	Girder type, size and spacing to load bearing walls, stem wall and/or priers	Yes	
43	Attachment of joist to girder	Yes	
44	Wind load requirements where applicable	Yes	~
45	Show required under-floor crawl space	NA	▼
46	Show required amount of ventilation opening for under-floor spaces	Yes	~
47	Show required covering of ventilation opening	Yes	~
48	Show the required access opening to access to under-floor spaces	Yes	▼
49	Show the sub-floor structural panel sheathing type, thickness and fastener schedule on the edges & intermediate of the areas structural panel sheathing	Yes	
50	Show Draftstopping, Fire caulking and Fire blocking	Yes	
51	Show fireproofing requirements for garages attached to living spaces, per FBCR section 302.6	Yes	~
52	Provide live and dead load rating of floor framing systems (psf).	Yes	~

	GENERAL REQUIREMENTS: APPLICANT – PLEASE CHECK ALL APPLICABLE BOXES BEFORE SUBMITTAL	Items to Each Box Circle Appli	shall be ed as cable
		elect from l	
53	Stud type, grade, size, wall height and oc spacing for all load bearing or shear walls	Yes	
54	Fastener schedule for structural members per table FBC-R602.3.2 are to be shown	Yes	$\overline{\mathbf{v}}$
55	Show wood structural panel's sheathing attachment to studs, joist, trusses, rafters and structural members, showing fastener schedule attachment on the edges & intermediate of the areas structural panel sheathing	Yes	
56	Show all required connectors with a max uplift rating and required number of connectors and oc spacing for continuous connection of structural walls to foundation and roof trusses or rafter systems	Yes	
57	Show sizes, type, span lengths and required number of support jack studs, king studs for shear wall opening and girder or header per FBC-R602.7.	Yes	✓
58	Indicate where pressure treated wood will be placed	Yes	▼
59	Show all wall structural panel sheathing, grade, thickness and show fastener schedule for structural panel sheathing edges & intermediate areas	Yes	▼
60	A detail showing gable truss bracing, wall balloon framing details or/ and wall hinge bracing detail	Yes	~
FE	BCR :ROOF SYSTEMS:		
61	Truss design drawing shall meet section FBC-R 802.10.1 Wood trusses	Yes	~
62	Include a layout and truss details, signed and sealed by Florida Professional Engineer	Yes	▼
63	Show types of connector's assemblies' and resistance uplift rating for all trusses and rafters	Yes	
64	Show gable ends with rake beams showing reinforcement or gable truss and wall bracing details	Yes	✓
65	Provide dead load rating of trusses	Yes	
F	BCR 802:Conventional Roof Framing Layout		
66	Rafter and ridge beams sizes, span, species and spacing	Yes	
67	Connectors to wall assemblies' include assemblies' resistance to uplift rating	Yes	M
68	Valley framing and support details	Yes	
69	Provide dead load rating of rafter system	Yes	~

FBCR 803 ROOF SHEATHING

70	Include all materials which will make up the roof decking, identification of structural panel sheathing, grade, thickness	Yes	✓
71	Show fastener Size and schedule for structural panel sheathing on the edges & intermediate areas	Yes	~

**ROOF ASSEMBLIES FRC Chapter 9** 

72	Include all materials which will make up the roof assembles covering	Yes	
73	Submit Florida Product Approval numbers for each component of the roof assembles covering	Yes	

#### FBCR Chapter 11 Energy Efficiency Code for Residential Building

Residential construction shall comply with this code by using the following compliance methods in the FBCR Chapter 11 Residential buildings compliance methods. Two of the required forms are to be submitted, N1100.1.1.1 As an alternative to the computerized Compliance Method A, the Alternate Residential Point System Method hand calculation, Alternate Form 600A, may be used. All requirements specific to this calculation are located in Sub appendix C to Appendix G. Buildings complying by this alternative shall meet all mandatory requirements of this chapter. Computerized versions of the Alternate Residential Point System Method shall not be acceptable for code compliance.

	GENERAL REQUIREMENTS: APPLICANT – PLEASE CHECK ALL APPLICABLE BOXES BEFORE SUBMITTAL	Each E Ci Ap	to Include- Box shall be reled as oplicable
	S	elect from	Drop Down
74	Show the insulation R value for the following areas of the structure	Yes	₩
75	Attic space	Yes	\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \
76	Exterior wall cavity	Yes	_
77	Crawl space	Yes	~
<u>HV</u>	AC information		
78	Submit two copies of a Manual J sizing equipment or equivalent computation study	Yes	~
79	Exhaust fans shown in bathrooms Mechanical exhaust capacity of 50 cfm intermittent or	1	
	20 cfm continuous required	Yes	~
80	Show clothes dryer route and total run of exhaust duct	Yes	<b>-</b>
Plu	imbing Fixture layout shown		
	All fixtures waste water lines shall be shown on the foundationplan	Yes	-
82	Show the location of water heater	Yes	-
Pri	ivate Potable Water		
83	Pump motor horse power	Yes	~
84	Reservoir pressure tank gallon capacity	Yes	
85	Rating of cycle stop valve if used	Yes	▼
Ele	ectrical layout shown including		
86	Show Switches, receptacles outlets, lighting fixtures and Ceiling fans	Yes	~
87	Show all 120-volt, single phase, 15- and 20-ampere branch circuits outlets required to be protected		
	by Ground-Fault Circuit Interrupter (GFCI) Article 210.8 A	Yes	~
88	Show the location of smoke detectors & Carbon monoxide detectors	Yes	~
89	Show service panel, sub-panel, location(s) and total ampere ratings	Yes	▼
		1.00	
	On the electrical plans identify the electrical service overcurrent protection device for the main		
	electrical service. This device shall be installed on the exterior of structures to serve as a	1 1	
90	disconnecting means for the utility company electrical service. Conductors used from the exterior		
	disconnecting means to a panel or sub panel shall have four-wire conductors, of which one		
	conductor shall be used as an equipment ground. Indicate if the utility company service entrance	Yes	▼
- 1	cable will be of the overhead or underground type.	1 1	
	3,1		
1	For structures with foundation which establish new electrical utility companies service		
	connection a Concrete Encased Electrode will be required within the foundation to serve as an	1	
	Grounding electrode system. Per the National Electrical Code article 250.52.3		
91	Appliances and HVAC equipment and disconnects	Yes	
92	Show all 120-volt, single phase, 15- and 20-ampere branch circuits supplying outlets installed		
-	in dwelling unit family rooms, dining rooms, living rooms, parlors, libraries, dens, bedrooms,	Yes	₹
	sunrooms, recreation rooms, closets, hallways, or similar rooms or areas shall be protected by	169	
	a listed Combination arc-fault circuit interrupter, Protection device.		4

#### **Notice Of Commencement:**

A notice of commencement form RECORDED in the Columbia County Clerk Office is required to be filed with the Building Department BEFORE ANY INSPECTIONS can be performed.

GENERAL REQUIREMENTS:	Each Box shall be
APPLICANT – PLEASE CHECK ALL APPLICABLE BOXES BEFORE SUBMITTAL	Circled as

#### \*\*ITEMS 95, 96, & 98 Are Required After APPROVAL from the ZONING DEPT.\*\*

Select from Drop down

		teci jrom .	Drop aown
93	Building Permit Application A current Building Permit Application is to be completed, by following the Checklist all supporting documents must be submitted.  There is a \$15.00 application fee. The completed application with attached documents and application fee can be mailed.	Yes	~
94	Parcel Number The parcel number (Tax ID number) from the Property Appraisers Office (386) 758-1083 is required. A copy of property deed is also required. www.columbiacountyfla.com	Yes	
95	Environmental Health Permit or Sewer Tap Approval A copy of a approved Columbia County Environmental Health (386) 758-1058	Yes	-
96	City of Lake City A City Water and/or Sewer letter. Call 386-752-2031	Yes	-
97	Toilet facilities shall be provided for all construction sites	Yes	~
98	<b>Town of Fort White</b> (386) 497-2321 If the parcel in the application for building permit is within the Corporate city limits of Fort White, an approval land use development letter issued by the Town of Fort is required to be submitted with the application for a building permit.	Yes	
99	Flood Information: All projects within the Floodway of the Suwannee or Santa Fe Rivers shall require permitting through the Suwannee River Water Management District, before submitting a application to this office. Any project located within a flood zone where the base flood elevation (100 year flood) has been established shall meet the requirements of Section 8.5.2 of the Columbia County Land Development Regulations. Any project located within a flood zone where the base flood elevation has not been established (Zone A) shall meet the requirements of Section 8.5.3 of the Columbia County Land Development Regulations (Municode.com)	Yes	V
100	CERTIFIED FINISHED FLOOR ELEVATIONS will be required on any project where the approved FIRM Flood Maps show the property is in a AE, Floodway, and AH flood zones. Additionally One Foot Rise letters are required for AE and AH zones. In the Floodway Flood zones a Zero Rise letter is required.	Yes	☑
101	A Flood development permit is also required for AE, Floodway & AH. Development permit cost is \$50.00	NA	~
102	<b>Driveway Connection:</b> If the property does not have an existing access to a public road, then an application for a culvert permit (\$25.00) must be made. County Public Works Dept. determines the size and length of every culvert before instillation and completes a final inspection before permanent power is granted. If the applicant feels that a culvert is not needed, they may apply for a culvert waiver (\$50.00) Separate Check when issued. If the project is to be located on an F.D.O.T. maintained road, then an F.D.O.T. access permit is required.	Yes	▼
103	911 Address: An application for a 911 address must be applied for and received through the Columbia County Emergency Management Office of 911 Addressing Department (386) 758-1125.	Yes	▼

Ordinance Sec. 90-75. - Construction debris. (e) It shall be unlawful for any person to dispose of or discard solid waste, including construction or demolition debris at any place within the county other than on an authorized disposal site or at the county's solid waste facilities. The temporary storage, not to exceed seven days of solid waste (excluding construction and demolition debris) on the premises where generated or vegetative trash pending disposition as authorized by law or ordinance, shall not be deemed a violation of this section. The temporary storage of construction and demolition debris on the premises where generated or vegetative trash pending disposition as authorized by law or ordinance shall not be deemed in violation of this section; provided, however, such construction and demolition debris must be disposed of in accordance with this article prior to the county's issuance of a certificate of occupancy for the premises. The burning of lumber from a construction or demolition project or vegetative trash when done so with legal and proper permits from the authorized agencies and in accordance with such agencies' rules and regulations, shall not be deemed a violation of this section. No person shall bury, throw, place, or deposit, or cause to be buried, thrown, placed, or deposited, any solid waste, special waste, or debris of any kind into or on any of the public streets, road right-of-way, highways, bridges, alleys, lanes, thoroughfares, waters, canals, or vacant lots or lands within the county. No person shall bury any vegetative trash on any of the public streets, road right-of-way, highways, bridges, lanes, thoroughfares, waters, canals, or lots less than ten acres in size within the county.

As required by Florida Statute 553.842 and Florida Administrative Code 9B-72, please provide the information and approval numbers on the building components listed below if they will be utilized on the construction project for which you are applying for a building permit. We recommend you contact your local product supplier should you not know the product approval number for any of the applicable listed products. Statewide approved products are listed online @ www.floridabuilding.org

Category/Subcategory	Manufacturer	Product Description	Approval Number(s)
1. EXTERIOR DOORS			
A. SWINGING	Plast-Pro	Smooth fiberglass doors	14803.1
B. SLIDING			
C. SECTIONAL/ROLL UP			
D. OTHER			
2. WINDOWS			
A. SINGLE/DOUBLE HUNG	YKK	Vinyl Windows	17169.1
B. HORIZONTAL SLIDER			
C. CASEMENT			
D. FIXED			
E. MULLION			
F. SKYLIGHTS			
G. OTHER			
3. PANEL WALL			
A. SIDING	James Hardi	Cement Hardi lap siding	13192-R1
B. SOFFITS			
C. STOREFRONTS			
D. GLASS BLOCK			
E. OTHER			
4. ROOFING PRODUCTS			
A. ASPHALT SHINGLES	GAF	asphalt shingles	11651.28 R1
B. NON-STRUCTURAL METAL			
C. ROOFING TILES			
D. SINGLE PLY ROOF			
E. OTHER			
5. STRUCTURAL COMPONENTS			
A. WOOD CONNECTORS			
B. WOOD ANCHORS			
C. TRUSS PLATES			
D. INSULATION FORMS			
E. LINTELS			
F. OTHERS			
		,	
6. NEW EXTERIOR			
ENVELOPE PRODUCTS			
The products listed below did not den	nonstrate product approval at plar	review. I understand that at the time of inspection of these prod	ucts, the following
		the product approval, 2) performance characteristics which the p	roduct was tested and
contified to comply with 21 capy of th	a applicable manufacturors installs	ation requirements	

certified to comply with, 3) copy of the applicable m			
Further, I understand these products may have to be	e removed if approval canno	t be demonstrated during inspection.	
C +	Data	NOTES.	
Contractor OR Agent Signature	Date	NOTES:	