

BUILDING SITE INSTALLATION REQUIREMENTS
ATTENTION: LOCAL INSPECTIONS DEPARTMENT:

The following items have not been completed by the building manufacturer, have not been inspected by the third party inspection agency and are not certified by the state modular label and/or certification. Code compliance for these items must be determined at the local level:

- 1) The completed foundation support system and tie-down and/or anchorage system.
- 2) Ramps, stairs and general access to the building.
- 3) Building drains, downspouts and hook-ups to plumbing system, and finish plumbing.
- 4) Electrical service hook-up (including feeders and the main Electrical Panel).
- 5) Connection of electrical circuits crossing over modular mating lines (multi-wide units only).
- 6) Structural and aesthetic interconnections between modules (multi-units only).
- 7) Installation of insulation of floor, ceiling and end-walls at mating lines (multi-wide units only).
- 8) Install R6.5 insulation on all piping installed in unconditioned spaces.
- 9) Install firestripping at all module mate lines at the marriage wall ceiling height and at the floor system.
- 10) Craw space light and switch.
- 11) HVAC system crossover ducts, and HVAC systems.*
- 12) Ridge vents must be installed in accordance with manufacturer's instructions.
- 13) Storm Protection Per Section R301.2.2
- 14) Plan review and inspection required by Chapter 633 F.S. to be done on-site by local fire safety inspector.
- 15) On-site fastenings and framing at gable walls, truss transitions and/or hinged trusses.
- 16) Window Guards when required (see notes on Dwg #2)
- 17) Hose Bibbs and Backflow Preventers
- 18) Foundation Design
- 19) Posting of Notice Signs as Required by FAC Rule 69A-3.02(6)
- 20) Installation of Air Resistance Valves After Drainage System Testing
- 19) Fireplace Chimney

* Heat Pump Cooling System Required with a minimum SEER = 13.0 and a Programmable Thermostat

NOTE: THE FLOOR AND ROOF DESIGN OF THE BUILDING IS "LIGHT-FRAME" TRUSS-TYPE CONSTRUCTION, AS REFERENCED IN FAC RULE 69A-3.02(6). THE POSTING OF NOTICE SIGN(S) AS REQUIRED BY FAC RULE 69A-3.02(6) SHALL BE SITE-INSTALLED AND IS THE RESPONSIBILITY OF THE BUILDING OWNER.

NOTE: ALL MATERIALS USED IN THE CONSTRUCTION OF THIS BUILDING WHICH ARE COVERED BY THE FLORIDA BUILDING COMMISSION CHAPTER 6N-3 APPROVAL AND/OR SHALL BE APPROVED IN ACCORDANCE WITH FS 553.84(5)

STATE OF FLORIDA

CODE: 2010 FBC, RESIDENTIAL WITH E008 NEC
FLOOR LIVE LOAD: 40 PSF
FLOOR DEAD LOAD: 10 PSF
ROOF LIVE LOAD: 20 PSF
ROOF DEAD LOAD: 10 PSF
ATTIC DEAD LOAD: 7 PSF
WIND SPEED V₅₀: 150 MPH, EXPC
G 3 SEC. DASH; ENCLOSED BLDG
OCCUPANCY GROUP: SINGLE FAMILY DWELL.
CONSTRUCTION TYPE: WOOD FRAME
RISK CATEGORY: II (PER ASCE 7-10)
MEAN ROOF HEIGHT NOT TO EXCEED 19' ABOVE GRADE
COMPONENT & CLADDING DESIGN LOADS:
WALL ZONE 4: 31.9 PSF WALL ZONE 5: 39.4 PSF
ROOF ZONE 1: 26.9 PSF ROOF ZONE 2: 46.8 PSF
ROOF ZONE 3: 69.3 PSF
Not to be located in coastal or flood plain areas or in high velocity hurricane zones

FOUNDATION NOTES

IN ACCORDANCE WITH THE REQUIREMENTS OF THE FLORIDA BUILDING COMMISSION, THESE BUILDINGS DO NOT CONSIDER FOUNDATION SUPPORT AND TIE-DOWN SYSTEM DETAILS AND SPECIFICATIONS.
THE DESIGNER OF THE BUILDING PLANS SHALL BE RESPONSIBLE FOR THE FOUNDATION DESIGN AND SHALL NOT BE HELD RESPONSIBLE FOR THE FOUNDATION DESIGN. THE FOUNDATION DESIGN SHALL BE THE RESPONSIBILITY OF THE FOUNDATION DESIGNER. THE FOUNDATION DESIGN SHALL BE THE RESPONSIBILITY OF THE FOUNDATION DESIGNER. THE FOUNDATION DESIGN SHALL BE THE RESPONSIBILITY OF THE FOUNDATION DESIGNER.



NOTE: THIS STRUCTURE CANNOT BE LOCATED ON THE COASTAL CONSTRUCTION CONTROL LINE SIDE OF THE COASTAL CONSTRUCTION CONTROL LINE

NOTE: THE STRUCTURE CANNOT BE LOCATED ON THE COASTAL CONSTRUCTION CONTROL LINE SIDE OF THE COASTAL CONSTRUCTION CONTROL LINE

NOTE: THE STRUCTURE CANNOT BE LOCATED ON THE COASTAL CONSTRUCTION CONTROL LINE SIDE OF THE COASTAL CONSTRUCTION CONTROL LINE

NOTE: THE STRUCTURE CANNOT BE LOCATED ON THE COASTAL CONSTRUCTION CONTROL LINE SIDE OF THE COASTAL CONSTRUCTION CONTROL LINE

LISTING


CONSTR. TYPE	V-3
COPIES	1
ACCURACY	1
RISK CATEGORY	II
WIND VELOCITY (UL)	150 MPH
WIND VELOCITY (ASD)	150 MPH
EXT. WALLS	0
PLAN NO.	2198-0193F
ALLOW. FLOOR	40
LOAD	40
APPROVAL DATE	11-29-12
MANUFACTURER	JOHN HOMES
DATE OF TIME	No

ELEVATION NOTES: Typical
See cross section for method of roof ventilation.
Handicap ramp(s), Stairs, and Handrails are site installed designed by others and subject to local jurisdiction review and approval.
Foundation enclosure (when provided) must have 1 square foot net vent area per 1,750 sq ft of the floor area and on 16" x 24" minimum crawl space access, site installed by others, subject to local jurisdiction review & approval. (min 14.7 sq ft net vent area req'd)

TOWN HOMES LLC

P.O. BOX 1059
LAKE CITY, FLORIDA 32056

DATE: 11/23/12	REVISIONS:	DESIGNED BY: C.A. Leblond
CODES: FBC	PLAN NO. TH-87FL	SHEET 1 OF 6
LABELS: FL		
SCALE: NTS		
MODEL: 2956-1099		
ELEVATIONS		
WILLIAM J. KALKER, JR., P.E.	33 ROCKWOOD LANE MORRIS, CT 06466 (203) 261-1167	



NOTE: ALL BRANCH CIRCUITS SUPPLYING 15 AND 20 AMP OUTLETS IN FAMILY ROOMS, DINING ROOMS, LIVING ROOMS, LIBRARIES, BEDS, BEDROOMS, CLOSETS, HALLWAYS, RECREATION ROOMS OR SIMILAR AREAS MUST BE PROTECTED BY AN ARC-FAULT CIRCUIT INTERRUPTER IN ACCORDANCE WITH SECTION 210.12 OF THE NEC. (CIRCUITS 1, 2, 3, 7, 8 AND 13 MUST BE PROTECTED BY AN ARC-FAULT TYPE CIRCUIT BREAKER)

NOTE: HVAC SYSTEM TO BE SITE INSTALLED AND DESIGNED BY OTHERS. SUBJECT TO LOCAL BUILDING OFFICIAL REVIEW AND APPROVAL.

ELECTRICAL NOTES: NEC

1. All circuits and equipment shall be grounded in accordance with the appropriate articles of the NEC.
2. When light fixtures are installed in closets they shall be surface mounted or recessed. Incandescent fixtures shall have completely enclosed lamps. Surface mounted incandescent fixtures shall have minimum clearance of 12 inches and all other fixtures shall have a minimum clearance of 8 inches from "Storage Area" as defined by NEC 410-8. When water heaters are installed they shall be provided with readily accessible disconnects adjacent to the water heaters served. The branch circuit switch or circuit breakers shall be permitted to serve as disconnecting means only where the switch or circuit breaker is within sight from the water heater or is capable of being locked in the open position.
3. HVAC equipment shall be provided with readily accessible disconnects adjacent to the equipment served. A unit switch with a marked "OFF" position that is a part of the HVAC equipment and disconnects all ungrounded conductors shall be permitted as the disconnecting means where other disconnecting means are also provided by a readily accessible circuit breaker.
4. Prior to energizing the electrical system the interrupting rating of the main breaker must be designed and verified by local electrical consultant.
5. The main electrical panel, service disconnect (main circuit breakers) and feeders are site installed, designed by others and subject to local jurisdiction review and approval.
6. All circuits crossing over modular metal line(s) shall be located below the floor or in the attic.
7. All circuits to be copper NM except HVMC and Range circuits to be copper SE cable. (75°C).
8. Light and switch to be site-installed in the crawl space near the crawl space access door (light to be connected to any of the installed general lighting circuits).
9. Receptacles installed in wet locations must be in a weatherproof enclosure the integrity of which is not affected when the attachment plug cap is inserted or removed. All receptacles and receptacle enclosures installed on the exterior of the building shall be listed as "Weather Resistant".
10. Detectors must be wired to activate all alarms simultaneously if any detector is activated.
11. All smoke detectors located within twenty feet of a cooling appliance shall be the photoelectric type.
12. All fans must be ducted to the exterior of the building and terminate at an approved vent cap.
13. Carbon monoxide detectors must have an audible alarm and must be listed to comply with either ANSI/UL 2034-96 or UL-2035-04

FRONT

NOTE: ALL RECEPTACLES INSTALLED ON 15 AMP AND 20 AMP CIRCUITS MUST BE LISTED AS TAMPER RESISTANT

LISTING

THESE PRINTS COMPLY WITH THE FLORIDA ELECTRICAL CODE AND ARE NOT BEING REPRODUCED OR COPIED FOR ANY OTHER PROJECT OR PROJECTS.

AGENCY APPROVAL

CONST. TYPE R-3

OCCUPANCY NO. 1

RISK CATEGORY II

WIND VELOCITY (U.L.T) 150 MPH

WIND VELOCITY (A.S.) 115 MPH

FIRE RATING OF EX. WALLS 0

PLAN NO. 2198-0193F


ALLOW. FLOOR LOAD 40

APPROVAL DATE 11-29-12

MANUFACTURER Town Homes

HIGH VELOCITY NO

HURRICANE ZONE NO



PANEL SIZING

2204 Sq. Ft. @ 3 watts/Sq. Ft. 6.61 kW	3-20 AMP Appliance circuits 3.30 kW	1000 kW
Laundry circuit 1.30 kW	Range 1.30 kW	11.00 kW
Clothes Dryer 3.20 kW	Water Heater 3.30 kW	20.90 kW
Opt. Dishwasher 1.40 kW		
TOTAL 37.71 kW		

First 10 kW @ 100% = 10.00 kW
 Remainder @ 40% (22.71)(.4) = 9.08 kW
 Assumed HVAC = 11.00 kW
TOTAL 41.98 kW

Calculated Load for service site
 41980 VA / 240 volts = 174.92 Amperes
 200 AMP Service Standard

ELECTRICAL LEGEND

Light Switch	Incandescent Light
Recessed Light	Exhaust fan w/ Light
240V Recept	Panel box
Thermostat	Exhaust fan
Smoke Detector	Fluorescent Light
W/Battery Backup	Range hood w/ Exhaust fan and Light

NOTE: NOT ALL CIRCUITS LISTED IN CIRCUIT SCHEDULES ARE USED IN THE ELECTRICAL PLAN ABOVE

ELECTRICAL CIRCUIT SCHEDULE

CIR	DESCRIPTION	COND.	SIZE (CU)	BK(A)
1	General Lighting	14-2	W/GND	15
2	General Lighting	14-2	W/GND	15
3	Small Appliance	12-2	W/GND	20
4	Washer	12-2	W/GND	20
5	Range	8-3	W/GND	40 2P
6	General Lighting	14-2	W/GND	15
7	Dryer	10-3	W/GND	30 2P
8	Water Heater	10-2	W/GND	20
9	Detectors	14-2	W/GND	15
10	General Lighting	14-2	W/GND	15
11	Detectors (BOL)	12-2	W/GND	20
12	General Lighting	12-2	W/GND	15
13	Small Appliance	12-2	W/GND	20

TOWN HOMES LLC

P.O. BOX 1059

LAKE CITY, FLORIDA 32056

DATE: 11/23/12

CODES: FLC

REVISIONS:

SCALE: NTS

MODEL: 2956-1099

PLAN NO. TH-87FL

WILLIAM J. KALKER, JR., P.E.

33 ROCKWOOD LANE

LAKE CITY, FL 32056

P.E. LICENSE #33581

DRAWN BY: C.A. Leblanc

SHEET 3 OF 6


SUPPLEMENTAL NOTES:

METAL PLATES, CONNECTORS, SCREWS, BOLTS AND NAILS SHALL BE GALVANNEAL OR GALVALUME. ALL METAL SHALL BE GALVANNEAL OR GALVALUME. GALVANNEAL OR GALVALUME SHALL BE HOT DIPPED GALVANIZED AFTER THE FASTENER OR CONNECTOR IS FABRICATED TO FORM A ZINC COATING NOT LESS THAN 1 OUNCE PER SQUARE FOOT OR, HOT DIPPED GALVANIZED COATING SHALL BE A MINIMUM OF 1.8 OUNCES PER SQUARE FOOT OF STEEL.


ALL CUT ENDS, NOTCHES AND DRILLED HOLES OF PRESER-VAIVE-TREATED WOOD SHALL BE TREATED IN ACCORDANCE WITH AIAA 104.

TYPICAL FLOOR FRAMING PLAN

76'-0"



LISTING	
THREE SQUARES COMPANY WITH THE FLORIDA DEPARTMENT OF AGRICULTURE ACT OF 1971, CHAPTER 88, SECTION 10, F.S. TO THE CONSTRUCTION TRADING ACT	
CONST. TYPE	V-B
ALLOWABLE NO.	1
RISK CATEGORY (UL1)	II
WIND VELOCITY (ASD)	130 MPH
WIND VELOCITY (ASD)	130 MPH
FIRE RATING OF EXT. WALLS	0
PLAN NO.	2198-0193F
ALLOW. FLOOR LOAD	40
APPROVAL DATE	11-29-12
MANUFACTURER	TOWN HOMES
HIGH VELOCITY WIND HURRICANE ZONE	No



19/32" Plywood sheathing perpendicular to joists w/next row staggered @ MIN 2'-8" (Staggered EXPT. 20' O.C.) Tag edges fastened w/100% PVA glue and .120" X 2-1/2" nails 6" O.C. edges and field.

OR


19/32" OSB sheathing perpendicular to joists w/next row staggered @ MIN 2'-8" (Staggered EXPT. 20' O.C.) Tag edges fastened w/100% PVA glue and .120" X 2-1/2" nails 6" O.C. edges and field.



FRONT


NOTE: THE FOUNDATION DESIGNER MUST ADJUST THE FLOOR FRAMING DIMENSIONS SPECIFIED ABOVE TO ACCOMMODATE FOR THE NORMAL GAPS WHICH OCCUR BETWEEN THE MODULES DURING SETUP.

TOWN HOMES LLC	
P.O. BOX 1059	
LAKE CITY, FLORIDA 32056	
DATE: 11/23/12	REVISIONS:
CODES: FBC	
LABELS: F	
SCALE: NTS	
MODEL: 2956-1099	PLAN NO.
FLOOR FRAMING	TH-87FL
WILLIAM J. KALKER, JR., P.E.	
CONSULTING ENGINEER	
33 ROCKWOOD LANE	
MONROE, CT 06468	
P.E. LICENSE #33841	
4 OF 6	



NTS

Change in direction in Schedule 40 DWV—90° and ABS drainage piping shall be made by the appropriate use of 45° (0.785 rad), 90° (1.571 rad), 135° (2.356 rad), 180° (3.142 rad), 225° (3.927 rad), 270° (4.712 rad), 315° (5.498 rad), or 360° (6.283 rad) elbows, quarter bends or long sweep quarter bends, one-sixth, one-eighth, one-sixteenth bends, or by a combination of these or equivalent fittings. Single and double sanitary tees and quarter bends may be used in drainage lines only where the direction of flow is from the horizontal to the vertical.



•NOTE: THE WATER INLET LOCATION MAY VARY FROM THE LOCATION SHOWN PROVIDED A 1" DIA PIPE EXTENDS FROM THE REVERSED INLET LOCATION DIRECTLY TO THE WATER HEATER WITH ALL OTHER WATER PIPING AS SHOWN IN THE SCHEMATIC EXCEPT THAT PIPE SIZES FOLLOWED BY PARENTHESES MAY HAVE THE PIPE SIZE REDUCED TO THE SIZE WITHIN THE PARENTHESES.

NTS


ALL STUB UPS 1/2" MINIMUM

SUPPLY LINES

COLD LINE _____

HOT LINE — — — —

SIZING BASED ON INLET PRESSURE
BETWEEN 50 TO 60 PSI



SUPPLEMENTAL NOTES:

SHOWER UNITS TO BE PRE-MANUFACTURED AND SHALL HAVE AT LEAST 30 SQUARE INCHES OF INTERIOR CROSS-SECTIONAL AREA WITH AN INTERIOR DIMENSION OF NOT LESS THAN 18 INCHES. SEATING SHALL BE PROVIDED FOR TWO HEADS, SOAP DISHES, AND GRAB BARS OR RAILS, AND SHALL HAVE WATER RESISTANT WALL SURFACES EXCLUDING A MINIMUM OF 10 SQUARE INCHES OF SHOWER DOOR OR FOLD-DOWN SHOWER PANEL. SEATING SHALL BE PROVIDED FOR TWO SEATS ARE ACCEPTABLE PROVIDED THE REQUIRED 90 SQUARE INCH MINIMUM AREA IS MAINTAINED WITH THE SEAT IN THE FOLDED-UP POSITION.

A THERMAL EXPANSION TANK MUST BE INSTALLED BETWEEN THE INLET SHUTOFF VALVE AND ALL STORAGE WATER HEATERS TO CONTROL PRESSURES IN THE WATER SUPPLY SYSTEM CAUSED BY WATER THERMAL EXPANSION. (TO BE SITE INSTALLED)


IN AREAS WHERE SOME BIBBS ARE SUBJECT TO FREEZING, THE HOSE BIBBS SHALL BE EQUIPPED WITH AN ACCESSIBLE, REMOVABLE, AND REPLACEABLE HEATING ELEMENT TO PREVENT FREEZING OF THE HOSE BIBB DURING COLD PERIODS.

STORAGE WATER HEATERS NOT EQUIPPED WITH INTERNAL HEAT TRACES AND HAVING REFRIGERANT PIPES MUSTERS SHALL HAVE THERMOSTATS INSTALLED ON BOTH THE INLETS AND OUTLETS. EXTERIOR EXPOSED WATER HEATERS SHALL BE PROTECTED BY AN AVAILABLE HEAT TAPE OR AN DOWNWARD AND UPWARD BENT AT LEAST 3-1/2 INCHES IN THE HOT WATER LINE AND COLD WATER LINE AS CLOSE AS POSSIBLE TO THE STORAGE TANK.

LEADERS	
MECH. APPROVAL	
THESE PRINTS COME WITH THE LEADERS CONTRACTED BY THE LEADERS FOR THE CONSTRUCTION OF THE PROJECT.	
TELEPHONE NUMBER	
CONST. NO.	R-3
OCCUPANCY	1
OF FLOORS	II
RISK CATEGORY	150 MPH
WIND VELOCITY (ULT.)	100 MPH
WIND VELOCITY (ASD)	0
FIRE RATING OF EX. WALLS	
PLAN NO.	E198-0193F
ALLOW. FLOOR	40
APPROVAL DATE	11-29-12
MANUFACTURER	Lynn Homes
HIGH VELOCITY	No
HURRICANE ZONE	No

PLUMBING NOTES:

1. Tub access provided under home unit, otherwise noted.
2. All plumbing fixtures shall have separate shut-off valves.
3. Hot & cold water supply lines shall be installed in the attic.
4. Hot & P relief valve with drain pan to exterior, and a shut-off valve within 3 feet on the cold water supply line.
5. DWV system shall be either ABS or PVC-DWV.
6. Water supply lines shall be Copper Tub (Type K or L) or PE-X. Water supply lines may be stubbed through the floor (only) to be on-site installation or oil lines below the floor to be in accordance with the specifications on this door to be installed.
7. Floor drains: overflow water usage shall not exceed 1.6 gal/min @ 150 PSI.
8. Building drain and cleanouts are designed and site installed by others, subject to local jurisdiction approval.
9. Underfloor trap arms not installed in the vicinity due to possible in-transit damage are to be site installed.
10. In accordance with the specifications on this drawing an accessible shut off valve shall be provided ahead of the first outlet or branch connection to the service or distribution pipe. This shut-off valve may be site installed.
11. Sinks and lavs shall not use more than 2.2 gal./min @ 60 PSI.
12. Shower: Each stall not use more than 2.5 gal./min @ 80 PSI per AIAA Std A 112.16.1K.
13. All showers to have temperature of water controlled by a pressure-balanced, thermostatic-mixing valve to limit the water temp. to 120°F (value to comply w/ASSE 1016 or CSA-4125).
14. All bathtubs to have temperature of water controlled by a water-temperature-limiting device to limit the water temperature to 120°F (device to comply w/ASSE 1020) except when the water temp. protection is provided by a combination tub/shower valve as specified in note 11.
15. Air circulation valves (AV) shall conform to ASSE 1051. The AV valves shall be located a minimum of 4 inches above the horizontal drain or flature drain being vented and must be installed in well ventilated spaces or provided with vented access doors.
16. When metal water supply lines are installed, water hammer arrestors must also be installed where quick closing valves are utilized (i.e. dishwashers, clothes washers, ice makers or other quick closing devices with solenoid valves).
17. Arrestors must comply with ASSE/ANSI 1010 and must be installed in accordance with the manufacturers instructions.
18. An approved thermal expansion device shall be installed on approved thermal expansion device shall be installed on all approved thermal expansion devices.
19. All approved thermal expansion devices shall be installed on all approved thermal expansion devices.
20. All approved thermal expansion devices shall be installed on all approved thermal expansion devices.
21. All approved thermal expansion devices shall be installed on all approved thermal expansion devices.
22. All approved thermal expansion devices shall be installed on all approved thermal expansion devices.
23. All approved thermal expansion devices shall be installed on all approved thermal expansion devices.
24. All approved thermal expansion devices shall be installed on all approved thermal expansion devices.
25. All approved thermal expansion devices shall be installed on all approved thermal expansion devices.
26. All approved thermal expansion devices shall be installed on all approved thermal expansion devices.
27. All approved thermal expansion devices shall be installed on all approved thermal expansion devices.
28. All approved thermal expansion devices shall be installed on all approved thermal expansion devices.
29. All approved thermal expansion devices shall be installed on all approved thermal expansion devices.
30. All approved thermal expansion devices shall be installed on all approved thermal expansion devices.
31. All approved thermal expansion devices shall be installed on all approved thermal expansion devices.
32. All approved thermal expansion devices shall be installed on all approved thermal expansion devices.
33. All approved thermal expansion devices shall be installed on all approved thermal expansion devices.
34. All approved thermal expansion devices shall be installed on all approved thermal expansion devices.
35. All approved thermal expansion devices shall be installed on all approved thermal expansion devices.
36. All approved thermal expansion devices shall be installed on all approved thermal expansion devices.
37. All approved thermal expansion devices shall be installed on all approved thermal expansion devices.
38. All approved thermal expansion devices shall be installed on all approved thermal expansion devices.
39. All approved thermal expansion devices shall be installed on all approved thermal expansion devices.
40. All approved thermal expansion devices shall be installed on all approved thermal expansion devices.
41. All approved thermal expansion devices shall be installed on all approved thermal expansion devices.
42. All approved thermal expansion devices shall be installed on all approved thermal expansion devices.
43. All approved thermal expansion devices shall be installed on all approved thermal expansion devices.
44. All approved thermal expansion devices shall be installed on all approved thermal expansion devices.
45. All approved thermal expansion devices shall be installed on all approved thermal expansion devices.
46. All approved thermal expansion devices shall be installed on all approved thermal expansion devices.
47. All approved thermal expansion devices shall be installed on all approved thermal expansion devices.
48. All approved thermal expansion devices shall be installed on all approved thermal expansion devices.
49. All approved thermal expansion devices shall be installed on all approved thermal expansion devices.
50. All approved thermal expansion devices shall be installed on all approved thermal expansion devices.
51. All approved thermal expansion devices shall be installed on all approved thermal expansion devices.
52. All approved thermal expansion devices shall be installed on all approved thermal expansion devices.
53. All approved thermal expansion devices shall be installed on all approved thermal expansion devices.
54. All approved thermal expansion devices shall be installed on all approved thermal expansion devices.
55. All approved thermal expansion devices shall be installed on all approved thermal expansion devices.
56. All approved thermal expansion devices shall be installed on all approved thermal expansion devices.
57. All approved thermal expansion devices shall be installed on all approved thermal expansion devices.
58. All approved thermal expansion devices shall be installed on all approved thermal expansion devices.
59. All approved thermal expansion devices shall be installed on all approved thermal expansion devices.
60. All approved thermal expansion devices shall be installed on all approved thermal expansion devices.
61. All approved thermal expansion devices shall be installed on all approved thermal expansion devices.
62. All approved thermal expansion devices shall be installed on all approved thermal expansion devices.
63. All approved thermal expansion devices shall be installed on all approved thermal expansion devices.
64. All approved thermal expansion devices shall be installed on all approved thermal expansion devices.
65. All approved thermal expansion devices shall be installed on all approved thermal expansion devices.
66. All approved thermal expansion devices shall be installed on all approved thermal expansion devices.
67. All approved thermal expansion devices shall be installed on all approved thermal expansion devices.
68. All approved thermal expansion devices shall be installed on all approved thermal expansion devices.
69. All approved thermal expansion devices shall be installed on all approved thermal expansion devices.
70. All approved thermal expansion devices shall be installed on all approved thermal expansion devices.
71. All approved thermal expansion devices shall be installed on all approved thermal expansion devices.
72. All approved thermal expansion devices shall be installed on all approved thermal expansion devices.
73. All approved thermal expansion devices shall be installed on all approved thermal expansion devices.
74. All approved thermal expansion devices shall be installed on all approved thermal expansion devices.
75. All approved thermal expansion devices shall be installed on all approved thermal expansion devices.
76. All approved thermal expansion devices shall be installed on all approved thermal expansion devices.
77. All approved thermal expansion devices shall be installed on all approved thermal expansion devices.
78. All approved thermal expansion devices shall be installed on all approved thermal expansion devices.
79. All approved thermal expansion devices shall be installed on all approved thermal expansion devices.
80. All approved thermal expansion devices shall be installed on all approved thermal expansion devices.
81. All approved thermal expansion devices shall be installed on all approved thermal expansion devices.
82. All approved thermal expansion devices shall be installed on all approved thermal expansion devices.
83. All approved thermal expansion devices shall be installed on all approved thermal expansion devices.
84. All approved thermal expansion devices shall be installed on all approved thermal expansion devices.
85. All approved thermal expansion devices shall be installed on all approved thermal expansion devices.
86. All approved thermal expansion devices shall be installed on all approved thermal expansion devices.
87. All approved thermal expansion devices shall be installed on all approved thermal expansion devices.
88. All approved thermal expansion devices shall be installed on all approved thermal expansion devices.
89. All approved thermal expansion devices shall be installed on all approved thermal expansion devices.
90. All approved thermal expansion devices shall be installed on all approved thermal expansion devices.
91. All approved thermal expansion devices shall be installed on all approved thermal expansion devices.
92. All approved thermal expansion devices shall be installed on all approved thermal expansion devices.
93. All approved thermal expansion devices shall be installed on all approved thermal expansion devices.
94. All approved thermal expansion devices shall be installed on all approved thermal expansion devices.
95. All approved thermal expansion devices shall be installed on all approved thermal expansion devices.
96. All approved thermal expansion devices shall be installed on all approved thermal expansion devices.
97. All approved thermal expansion devices shall be installed on all approved thermal expansion devices.
98. All approved thermal expansion devices shall be installed on all approved thermal expansion devices.
99. All approved thermal expansion devices shall be installed on all approved thermal expansion devices.
100. All approved thermal expansion devices shall be installed on all approved thermal expansion devices.



NOTES:

1. Water heater shall be provided with a cold water "T" tube with a hole at the top or a vacuum relief valve installed in the cold water supply line above the top of the water heater tank, bottom fed water heaters shall have a vacuum relief valve complying with ANSI Z21.2 installed.
2. Water heaters shall be provided with a temperature and pressure relief valve complying with ANSI Z21.2 installed in the side of the water heater tank. The valve shall be actuated by the water in the top 6 inches of the tank and shall have a temperature rating of 120°F and a pressure rating of 150 psi.
3. Water heaters shall be equipped with an energy cutoff device that will cut off the supply of heat energy to the water heater before the temperature of the water in the tank exceeds 210°F. The device shall be tested in accordance with ANSI Z21.22, and whichever is less.

TYPICAL WATER HEATER DETAIL

NTS

TOWN HOMES LLC

P.O. BOX 1059

LAKE CITY, FLORIDA 32056

2	
---	--

CODES: FBC	
------------	--

LABELS: FL	REVISIONS:
COPIES	

SCALE: MTS		
MODE: 0050	4000	PLAN N

MODEL: 2936-1099
PLUMBING

LEONARDINO	111
------------	-----

WILLIAM J. KALKER, JR., P.E.
33 ROCKWOOD
MONROE, CT 06468

(203) 261-1166

--

TRUSS DESIGN LOADS:

20 PSF	ROOF	LL	ON	TOP	CHORD
7 PSF	ROOF	DL	ON	TOP	CHORD
10 PSF	ATTIC	LL	ON	BTM	CHORD***
7 PSF	ROOF	DL	ON	BTM	CHORD

*** ATTIC LL NOT TO BE APPLIED CONCURRENTLY WITH OTHER LIVE LOADS

Exterior joints in the building envelope that are sources of air leakage, such as around windows and door frames; Between wall cavities and windows or door frames; Between walls and foundations; Between walls and roof/ceiling and between wall panels; Penetrations of utility services through walls, floors and roofs; and all other such openings in the building envelope shall be caulked, gasketed, weather stripped or otherwise sealed in an approved manner.

- * IF RIDGE BEAM BEARS DIRECTLY ON THE TOP PLATE OR STUD THE BEARING STRIP MAY BE OMITTED.
- ** WALL SHEATHING MAY BE INSTALLED HORIZONTALLY OR VERTICALLY WITH ALL SHG EDGES TO BE SUPPORTED BY WALL FRAMING OR BLOCKING

VALID



IWC
SCHAFFHAUSEN

NTS

ATTIC VENTILATION OPENINGS MUST BE PROTECTED AGAINST THE ENTRANCE OF RAIN OR SNOW AND PROVIDED WITH CORROSION-RESISTANT WIRE MESH WITH 1/8 INCH MINIMUM AND 1/4 INCH MAXIMUM OPENINGS.

ALL WINDOWS SHALL BE INSTALLED AND FLASHED IN ACCORDANCE WITH THE WINDOW MANUFACTURER'S WRITTEN INSTALLATION INSTRUCTIONS.

ALL EXTERIOR WALL OPENINGS, PROJECTING WOOD TRIM AND ALL CONNECTIONS OF DECKS, STAIRS OR PORCHES TO MODULAR BUILDING LUMBER CONSTRUCTION MUST BE PROTECTED WITH APPROVED CORROSION-RESISTANT FINISHING INSTALLED IN A SHINGLE-PATTERN TO PREVENT ENTRY OF WATER INTO THE BUILDING FRAMEWORK. THE FLASHING SHALL EXTEND TO THE SURFACE OF THE EXTERIOR WALL FINISH.

ALL EXPOSED INSULATION INSTALLED IN ATTICS MUST HAVE A CRITICAL RADIANT FLUX NOT LESS THAN .12 WATT PER SQUARE CENTIMETER

METAL PLATES, CONNECTORS, SPANNERS, BOLTS AND NAILS ARE EXPRESSED DIRECTLY TO WEATHER OR SUBJECT TO SALT CRYSTALLIZATION IN COSTLY AREAS SHOULD BE HOT DIPPED FOR CORROSION RESISTANCE AFTER THE FASTENER OR CONNECTION IS MADE. GALVANIZED METALS CONTAINING LESS THAN .007% SULFUR PER POUND FLOOR AREA OR .001% SULFUR PER SQUARE FOOT COATED WITH A MINIMUM OF 1.8 OUNCES PER SQUARE FOOT OF STEEL

LUMBER AND/OR LV RIDGE BEAM SPLICE DETAIL

NOTE: ALL ROOF SHEET PANELS MUST SPAN A MIN. OF TWO TRUSS BAYS W/LONG DIMENSION PERPENDICULAR TO TRUSSES

ROOF SHEATHING DETAIL

FASTEN, ROOF SHG TO OUTSIDE TRUSS, 2X3 CON., RAIL AND BLOCKING WITH 8D CON. NAILS 8" O.C. EDGES AND FIELD (TYP. EACH ENDWALL) (SEE ENDWALL BRACING DETAILS ON DWGS 4)

FASTEN SHG TO EACH TRUSS WITHIN 3' OF RIDGE, AND WITHIN 3' OF GABLE END OF ROOF WITH 8D CON. NAILS 8" O.C. EDGES AND FIELD (TYP)

FASTEN SHG TO EACH TRUSS WITHIN 3' OF RIDGE, AND WITHIN 3' OF GABLE END OF ROOF WITH 8D CON. NAILS 8" O.C. EDGES AND FIELD (TYP)

Endwall (Gable)

32" MIN

Ridge Vent (Ridge)

Stagger Joints 32" O.C. MIN (TYP)

FASTEN SHG TO TRUSSES WITH 8D CON. NAILS 8" O.C. EDGES AND 10" O.C. FIELD WITHIN 3' OF EAVES, GABLES AND RIDGES AND 8" O.C. EDGES AND 10" O.C. FIELD UNLESS OTHER, NOTED

DETAIL A

FASTEN RIDGE BEAM TO EACH TRUSS W/ 7"-131" X 3" NAILS INTO END GRAIN (TYP)

FASTEN RIDGE BEAM TO MAR. WALL TOP PLATE WITH #8X3" SCREW TOED 12" O.C. (TYP)

TYP. MARRIAGE WALL

P.O. BOX 1059
LAKE CITY, FLORIDA

DATE: 11/23/12		
CODES: FBC		
LABELS: FL	REVISIONS:	DRAWN BY: C.A.leblond
SCALE: MTS		
MODEL: 2956-1099	PLAN NO.	
CROSS SECTION	TH-87FL	SHEET

WILLIAM J. KALKER, JR., P.E.
CONSULTING ENGINEER
P.E. LICENSE #33841
33 ROCKWOOD LANE
MONROE, CT 06468
(203) 261-1167

1. FOUNDATION PLAN IS SHOWN AS TYPICAL STANDARD (FOR REFERENCE ONLY)

- THE TALLEST OF TOWN HOMES, THE FOUNDATION DIMENSIONS SPECIFIED ON THIS DRAWING HAVE BEEN ADJUSTED WITH REGARD TO THE DIMENSIONS SHOWN ON THE FLOOR PLAN DRAWING TO CONSIDER THE LONGER PAINT LINES AND 1/2 IN. GAP BETWEEN THE SHORTER PAINT LINES. THESE ADJUSTMENTS OF THE FOUNDATION DIMENSIONS ARE INTENDED TO ACCOMMODATE THE NORMAL GAPS WHICH OCCUR BETWEEN FLOOR JOISTS. SINCE THE CONTRACTOR MAY FURTHER ADJUST THE DIMENSIONS TO ACCOMMODATE THEIR PREFERRED PROFESSIONAL EXPERIENCE IN THE INSTALLATION OF MODULAR BUILDINGS TO ACHIEVE THE BEST FOUNDATION AND/OR BUILDING INSTALLATION

CRAWL SPACE FOUNDATION

ADD PLATFORMS, STAIRS AND RAILINGS AS REQUIRED FOR ACCESS TO BUILDING - ALL PLATFORMS, STAIRS AND RAILINGS TO BE DESIGNED BY SITE (LOCAL) ENGINEER, SUBJECT TO BUILDING OFFICIAL REVIEW AND APPROVAL - TYP FOR ALL DOORS AND PORCHES (ADJUST CRAWL SPACE VENT LOCATIONS TO ACCOMMODATE PLATFORMS AND STAIRS)

[illegible]

WALL SHEATHING

- SUPSON WELD ANCHOR (NOTCH MID SILL AND WALL SHEATHING FOR ANCHOR) AT CORNERS AND OPENING STUDS AND INSTALL SINGLE ANCHORS ANCHORS;
- FASTER ANCHOR TO WALL / FLOOR ON SIDEWALLS AND ENDWALLS (TYP)

FLOOR CONSTRUCTION

- INSTALL FLO^R GALLY SCREWS MOST TO MID SILL SPACED 4 INCHES O.C. ON ENDWALLS AND 8 INCHES O.C. ON SIDEWALLS (TYP)
- VERTICAL #4 BAR IN FULLY GROUTED JOIST TO STD HOOK AN IN CORNER IN EACH CORNER CORNER ANCHORS (TYP)
- CONC. BLOCK BOND BEAM AT CORNERS; 2X6 P.T. AND MID SILL NOTCH SILL FOR ANCHOR AS SHOWN
- CONT. 10R #5 BAR IN FULLY GROUTED CONC. BLOCK BOND BEAM AT CORNERS; 2X6 P.T. AND MID SILL NOTCH SILL FOR ANCHOR AS SHOWN
- DR. RM JOIST FASTENED JOIST TO MID SILL W/ 16G GALLY NAIL 16 INCHES O.C. (DETAILS NOT SHOWN FOR CLARITY)
- 5/8" DIA X 7' EMBED A307 ANCHORS BOLT 30 INCHES O.C. ON ENDWALLS AND 48 INCHES O.C. ON THE ED OF EACH MID SILL BOARD
- CONC. BLOCK WALL ALONG AND ENDWALLS (TYP)

INSTALL 4 SUREON #12/14 ANCHORS IN EACH PIER WITH 2 SUREON #12/14 ANCHORS ON EACH SIDE OF MATE LINE. 1/2" EMBED INTO CONCRETE. 16'x16' CHU PIER W/ ALL CELLS FULLY REIN. (NOTCH HOLE SHALL BE REIN. TO MATCH ANCHORS)

MATE LINE

DEL. STR 2X8 P.T. AND SILL

16'x16' CHU PIER W/ ALL CELLS FULLY REIN.

FLOOR CONST.

VERTICAL #4 BAR IN FULLY REIN. CELLS 3' ON CENTER

HORIZONTAL #4 BARS IN DIAGONALLY REIN. CELLS 3' ON CENTER

CONC. 2-4" WIDE X 1/2" DEEP

CONC. #5 BARS AT FLOOR CENTERLINE AND #6 REIN.

TOWN HOMES LLC

P.O. BOX 1059
LAKE CITY, FLORIDA 32056

1/23/12	
BC	

REVISIONS:	
TS	
L	

PLAN NO.	TH-87FL
2956-1099	THE FOUNDATION

J. KALKER, JR., P.E.
33 ROCKWOOD LANE
MONROE, CT 06468

(203) 261-1167
